

MAHENDRAGANJ SUBDIVISION

VANNO	Consumer ID	Bill No	Billing Period	Bill Generated Date	Due Date	Disconnection Date
MEPDCL1000853881	1000853881	3313992411091677	11-Dec-2025 to 13-Jan-2026	13-Jan-2026 01:59	28-Jan-2026	13-Feb-2026

Name & Address: Digligre Wss-Digligre WSS	Type	LT	Meter No	MEB99221
	Category	WSLT	Bill Type	OK (Normal)
	Sanction Load(KW)	49	Sanction Load(KVA)	0
	Connection Type	SG	Connection Status	INSERVICE
	Service Type	Post Paid	Installation Status	Permanent Connection
	Connection Location	RURAL		
	Monthly Average Units	249.15		

Meter Readings for New Meter ID:MEB99221 and Meter Status: OK(Normal)					
Description	Date	KWH Meter	Kvah Meter	Recorded Demand	Recorded PF
Current Reading	13-01-2026	1458	0	0	0
Previous Reading	11-12-2025	1245	0		
No Of Days	33				
Difference		213	0		
Multiplying Factor		1	1	0	0
Consumption		213	0		
Additional Units		0	0		
Meter Change Units		0	0		
Violation Energy Units		0	0		
Net Consumption		213	0	0	

Your Detailed Bill		Amount (Rs.)
Description		
Fixed Charges : For 49 KW at Rs: 180 per KW at BM:(33/31)*1		9,389.03
Energy Charges: For The First Slab Rs: 7.8 per KWH		1,661.40
FPPAS(NOV 25 TO NOV 25 : -145.310):		-145.31
Electricity Duty : For The First 213.00 KWH at Rs: 0.06 per KWH		12.78
TMC Charges		2129.03
DPC		1,685.49
Current Bill Amount		14,732.42
Previous OutStanding		170,121.13
Gross Bill Amount		184,853.55
Net Bill Amount		184,854.00
AMOUNT IN WORDS		One Lakhs Eighty Four Thousand Eight Hundred and Fifty Four Rupees only
Due Date		28-01-2026
Last Payment Details		
Last Payment Date		04-11-2025
Last Payment Amount		67,712.00
Sd/- Asst Executive Engineer MAHENDRAGANJ SUBDIVISION		

Save Energy for the Benefit of Self and Nation

This Bill will be Construed as final notice under Section 9.2 of MSERC (Electricity Supply Code) Regulations, 2018. Supply of Electricity shall be disconnected at any date, if dues of Electricity bill is not paid within 15 (fifteen) days (notice period) after due date of the bill. Thanks for paying, We really appreciate it.