

Application form - Conversion of Services / Change of Consumer Category / Shifting of Premises

(Tick the applicable purpose)

1	Service Connection No.	ID:- 1000219038		
2	Name of Consumer	Shilinda Shabong		
3	Consumer category	From BPL To DLT		
4	Contracted load	From 1Kw To 3Kw		
5	Address:	Pyllun		
	9378190187	Telephone no.:	Mobile:	Email
6	Request for change in service: Category change from BPL to DLT			
i)	IF request is for conversion of service (Tick whichever applicable)	a) Conversion from LT single phase to LT 3-phase b) Conversion from LT 3-phase to LT single phase c) Conversion from LT to HT d) Conversion from HT to LT e) Conversion from HT to EHT f) Conversion from EHT to HT g) Other (Please specify)		
ii)	IF request is for change in consumer category, mention the tariff category to which Consumer wants to shift:	(See list of all tariff categories attached with this form) BPL to DLT.		
iii)	IF request is for change in premises:	a) New address to which existing service connection is to be shifted: b) Details of equipment to be shifted (Meter/service line, LT/HT line, transformer, etc.):		
7	Reason for change in service			

Note: The following documents are attached with the application form: (Tick whichever applicable)

- ✓ 1. Installation inspection report
2. Proof of ownership / legal occupancy of premises, if request is for shifting of premises
3. Any other document (please specify)

Date: _____

Signature of the Consumer Shilinda Shabong

Place: Pyllun Name: Shilinda Shabong

Load change & Category change

APPLICATION FORM FOR PROVIDING LT SERVICE CONNECTION
(FOR ALL CATEGORY AND FOR ALL PURPOSE)

To

The Area Manager / Asst Executive Engineer
Service Connection Sub-Division/ DR Distribution Sub-Division
MeECL Umiam
(Indicate the local area of the jurisdiction of the Engineer of the licensee)

30 mitlas

Transformer 100KVA

Sir,

1. I / We hereby request you to supply electricity to the premises located at the address fully described below. I/We are the owner / lawful occupier of the premises.
2. I/We agree to abide by the terms and condition relating to the supply of electricity by MeECL and to make all payments as may be required and also to pay regularly all the charges as may become due.
3. a) Full name and address of the applicant with contact telephone number. 9378190187

Shilinda Shabong

- b) Status in relation to the premises. Owner ☒
Occupier ☐

- c) Location and address of the premises including Police Station.

Pyllun

- d) Nature of LT Supply: Commercial ☐ Domestic ☒
Industrial ☐ General Purpose ☐
WSLT ☐ PL ☐
Agriculture ☐ KJ ☐

Date Junior Engineer
Umiam Rural Distribution Sub-Division
MePDCL, Umiam

Shabong
Applicant's Signature

NB : The following documents are to be enclosed:

- 1) Test Report from Licensed contractor.
- 2) Agreement Form duly filled in.
- 3) Proof of ownership (in case the applicant is owner)
- 4) Number of the nearest Electric Pole.
- 5) NOC of the owner of the premises (in case the applicant is occupier).
- 6) Attested copy of permission obtained from Pollution Control Board.
- 7) Building permission from the concerned authority.

Load Enhancement from
1kw to 3kw ie 2kw Load
Sanction from Pyllun 100kVA S/S



Agreement for supply of electricity Low Tension

An agreement made this the ____ day of ____ of 20__ between ____ and his successor and assigns (hereinafter referred to as the consumer) of the one part and the Meghalaya Power Distribution Corporation Limited an electricity distribution licensee under the EA, 2003 and its successors and assigns (hereinafter referred to as the Distribution Utility / MePDCL) of the other part.

Note: the term 'consumer' includes an individual person (whether male or female), a body of persons, a company, society, firm, association or organisation.

Whereas, the consumer has applied to the distribution utility for supply of electricity to the premises and the distribution utility has agreed to give the supply under the terms and conditions hereinafter appearing;

Now, therefore, the agreement witness –

- (1) That the supply shall be given to the premises located at Pyllun with the consumer as owner / occupier of;
- (2) That the supply shall be for the purpose of Load Enhancement from 1kw To 3kw
The load whereof shall not exceed (1+2)kw = 3kw watts
- (3) That the provisions of the EA 2003 and the regulations, code and orders including tariff orders, as may be made from time to time by the MSERC shall apply and bind the consumers and the distribution utility alike;
- (4) That the consumer shall regularly and timely pay to MePDCL all charges as may be due for the supply of electricity;
- (5) That the agreement shall be a period of two years and may be renewed for a further period;
Provided that supply shall not be terminated by mere efflux of time if the consumer is willing that the agreement is renewed;
- (6) That the agreement shall be terminated if he consumer on its part desires it so and gives to the MePDCL a prior notice of not less than one month or, on the part of the MePDCL, if the consumer has violated any of the terms and conditions of the agreement.

Provided that on the part of the MePDCL notice shall be given to the consumer stating reasons for the proposed termination and giving him opportunity to state his case and statement, if any duly considered before the agreement is terminated and the supply of electricity cut off;

- (7) The terms and conditions of this agreement shall be effective from the date of supply of electricity is commenced.

IN WITNESS WHEREOF the parties hereto have set their hands and seals the date, month and year first above written.


Consumer

For and behalf of MePDCL

Witness:

1. Signature:

Name:

Address:

2. Signature:

Name:

Address:

Meghalaya Power Distribution Corporation Limited

Test Report

This is to certify that repaired/renewed/additional/new electric installation at the premises of

Full name

SHILINDA SHABONG

(Please leave one block between name & surname)

Address

PYLLUN

1. The load has been arranged as follows:

Details of load	Wattage of each item	Phase I		Phase II		Phase III		Total wattage of all 3 phases
		No. of points	Total wattage	No. of points	Total wattage	No. of points	Total wattage	
1. Light points								
(i) Fluorescent								
(ii) Incandescent								
(iii) CFL								
(iv) Halogen								
(v) Others / LED	9 Wt	4 Nos	36 Wt					
2. Fan points	100 Wt	3 Nos	300 Wt					
3. Plug points (3-Pin)								
(i) 6 Amps	100 Wt	3 Nos	300 Wt					
(ii) 16 Amps	1000 Wt	1 No	1000 Wt					
4. Electrical gadgets								
(i) Water Heater (Geyser)								
(ii) Refrigerator								
(iii) AC								
(iv) Others								
5. Welding transformer								
6. Motor								
Total			1636 Wt					
In case of load enhancement existing load (in watts)			1000 Wt					
Total load in the premises (in watts)			2636 Wt or 3KW					

Notes:

(a) Details of any apparatus (other than the above mentioned) should be given.

(b) Rating of capacitor used in induction Motor and welding

Transformer (Test report of capacitor is to be enclosed)

KVAR

II. Type of wiring

III. Voltage and system of supply

IV. Test Result

Date of testing by licensed contractor

16082024

	Type of test	Result of test carried out by licensed contractor (in M Ω) / Ω	Result of test carried out by the supplier under relevant Cea regulations (in M Ω) / Ω
(a)	Insulation resistance between earth and whole system of conductor.	110 M Ω	
(b)	Insulation resistance between all conductors	107 M Ω	
(c)	Earth continuity between earth electrode and earth continuity conductor	302	
(d)	Polarity of non-linked SP switches	0 M Ω (PN-230V EN-0V)	

V. Full name with signature of licensed contractor (with date)

LIC No.

Mobile No.

VI. Full name with signature of supervisor (with date)

LIC No.

Mobile No.

VII. Full name with signature of wireman (with date)

LIC No.

Mobile No.

VIII. Signature of the authorized official who

tested the installation on behalf of supplier (with date)

Mobile No.

IX. Date of connection of supply to the installation

Mr. R. Dohndong
Electric Supervisor
Reg. No: 459

Mr. R. Dohndong
Electric Wireman
Reg. No: 2126



भारत निर्वाचन आयोग
ELECTION COMMISSION OF INDIA
मलयाला कोटी पहचान पत्र - Elector Photo Identity Card

ZRL0072173



Name: Shilinda Shabong
Husband's Name: Smun Marwein
Gender: Female
Date of Birth / Age: 05-07-1986



Shilinda

Address: 17, PYLLUN, PYLLUN, -, RI-BHOI, MEGHALAYA -
793183



Electorat Registration Officer, 12 UMROI
Issue Date: 05-07-2024

Note:
1) Before every Election, please check that your name exists in current electoral roll.
2) This card is not a proof of age except for purpose of Election.

ZRL0072173



DORBAR SHNONG PYLLUN

RAID MAWBUN, MYLLEM SYIEMSHIP
WILIAM 703103, P. DUNOI DISTRICT

Ref No: DSP/Ken JARA/2019 32/121

Date: 26/10/2019

Under Rule 10(3) of the Administration of Myllem Syiemship rule, 2015 of the Khasi Autonomous District (Appointment and Sucession of Syiem, Deputy Syiem, Electors and Rangbah Shnong of Myllem Syiemship) act 20

Dulir Iadie Ia thied Khyndew

Mynta ka snai ha ka 26th October 2019 ma nga U/Ka Kong Maria Sabang
Khun/Lok U K.P. Brodhan ba shong ba sah ha Laban Hausola Shilong nga la die
duhnoh ia ka shilyngkhot ka khyndew jong nga kaba den ha shnong Pyllun haphi
Ka Kong SHILINDA SHABONG Khun/Lokjong (K) P. Kharngai
ba shong ba sah ha Pyllun Block IV ia kane nga la leh
hapteng ka jingkoit jingkhiah had ka jingtip briew-tipblei. Shuh shuh nga la die duh noh khlem ka jingpyngbar jongno
jongno rith, hyndei da la ka jong ka mon sngewbha.

Ki Pud Sawdong Ki Long Kumne :-

Milngi 103 ft : Sakhep Jaka Ka Shida Shabang
Sepngi 70 ft : Sakhep Jaka Kalsyth Shnong
Shatei 66 ft : Sakhep Jaka Ka Bialates S. Syiem
Shathie 96 ft : Sakhep Jaka Ka Seralini Sen

Ka dor jong kane ka jaka ka long 50,000 (Sanplew kaji hnyk) had ka area jong kane ka jaka ka
long 7006.5 Sq. ft tam ne duna. Bad dei ha kane ka khyllipmat ba manga u nongdie nga la ioh
pdang lut la kane ka pisa baroh ba khmat ki sakhi satar ba iadonglung.

Kum U/Ka nongdie nga kwah ban pynkynmaw ba kane ka khyndew ka long kaba lait na ki kynram kynram ne
wat naka bynda byndop. Kumta maphi U/Ka nongthied phin long trai hok nator jong kane ka lyngkhot khyndew. Ha kaba
ymdon shuh mano mano ba dang dawa ne tuklar shuh halor jong ka, la ma nga ne ki khun ki ksiew ne wat ki nonghiar
pateng jong nga hadien habud. Kumta phi lah ban leh katba phi ibit ia kane ka lyngkhot khyndew. Te ma nga U/Ka
nongdie duh nga shim ia kane ka jingkitkhlich na ka bynta kano kano ka jingeh kaba lah ban mih halor jongkane ka
khyndew hok jong nga.

Khatduh iawai na ka bynta jongkane ka Dulir khyndew nga buh ia la ka jong ka kti kum ka dak jongka
jingpynskhem bad pynshisha ha khmat jog ka shnong ba ki skahi satar baroh kiba iadonlang.

Nongdie : Maria Sabang Oix

Nongpynskhem :

Nongthied : Shilinda Shabang

Sakhi : A) C. P. Satar

Nongthoh :

B) W. K. Oix



Secretary
Dorbar Shnong
Raid Mawbun
Myllem Syiem
P. Bhoi Da

Customer Id : 4B03D298380

500308065389

Name : Shilinda Shabong

Address : Pyllun Village 790103

Demand/Load : 1.0 KW

Category : BPLM

Bill Basis : OK

Meter No : 4647823

UMF

Prev. Reading Date : 09-Jul-2024

Curr. Reading Date : 09-Aug-2024

Bill Date : 09-Aug-2024 12:17

No. of Days : 31

Prev KWH : 0.000

Current KWH : 9.0

Add. KWH : 0.0

Billed Unit : 9.0

Energy Charges : 33.75

Fixed Charge : 0.0

ED Amount : 0.45

FPPPA Charges : 0.0

Rebate : 0.0

Meter Rent : 0.0

DPC : 0.64

Current Bill Amt : 34.84

Prev Outstanding : 64.97

Payment Amount : 0.0

Last Payment Date : 18-May-2024

Last Payment Amount : 229.0

Gross Amount : 99.81

Due Date : 30-Aug-2024

Net Bill Amount : 100.0