

AGREEMENT FOR SUPPLY OF ELECTRICITY
LOW TENSION



AN AGREEMENT made this the _____ day of _____ 20____

between _____ and his successors and assigns (hereinafter referred to as the Consumer) of the One Part and the Meghalaya Energy Corporation Ltd. an electricity distribution licensee under the Electricity Act, 2003 and its successors and assigns (hereinafter referred to as MeECL) of the Other Part.

Note : The term 'consumer' includes an individual person (whether male or female), a body of persons, a company, society, firm, association or organisation

WHEREAS, the consumer has applied to the MeECL for supply of electricity to its premises and the MeECL has agreed to give the supply under the terms and conditions hereinafter appearing:

NOW, THEREFORE, the agreement witnesses -

1. That the supply shall be given to the premises located at Mynsair with the consumer as owner/occupier of _____
2. That the supply shall be for the purpose of CLT the load whereof shall not exceed 4000watt watt(s)
3. That the provisions of the Electricity Act, 2003 and the Regulations, Code and Orders, including Tariff Orders, as may be made from time to time by the Meghalaya State Electricity Regulatory Commission shall apply and bind the consumer and the MeECL alike.
4. That the consumer shall regularly and timely pay to the MeECL all charges and may be due for the supply of electricity.
5. That the Agreement shall be a period of two years and may be renewed for a further period. Provided that supply shall not be terminated by mere efflux of time if the consumer is willing that the agreement is renewed.
6. That the Agreement shall be terminated if the consumer on its part desires it so and gives to the MeECL a prior notice of not less than one month or, on the part of the MeECL, if the consumer has violated any of the terms and conditions of the agreement.

Provided that on the part of the MeECL notice shall be given to the consumer reasons for the proposed termination and giving him opportunity to state his case and his statement, if any, duly considered before the agreement is terminated and the supply of electricity cut off.

7. That the terms and conditions of this Agreement shall be effective from the date supply of electricity is commenced.

IN WITNESS WHEREOF the parties hereto have set their hands and seals the date, month and year first above written.

(Signature)

The Consumer

For and on behalf of the MeECL

Witnesses :-

1. Signature

Name :

Address :

1. Signature

Name :

Address :

MEGHALAYA POWER DISTRIBUTION CORPORATION LIMITED.

1 PHASE TEST REPORT

35 mitor
Proprietor
Ryntachion
Ryntachion 23/3/24

This is to certify that repaired/renewed/additional/new electric installation at the premises of :-

Full name :-

G	I	A	L	T	Y	M	E	R	R	Y	M	A	J	A	N					
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--	--	--	--	--

(Please leave one block between name and surname)

(Address)

L	M	B	I	H	M	Y	N	S	A	I	N									
---	---	---	---	---	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--	--

Is duly completed tested and ready for your Engineer to test and connect on your main line.

1-. The Load has been arranged as follows :

Details of Load	Wattage Of each items	No of Points	Total
1. LIGHT POINTS			
(i) Fluorescent	100 watt	5	500
(ii) Incandescent			
(iii) CFL			
(iv) Halogen			
(v) Others			
2. FAN POINTS			
3. PLUG POINTS 3PIN			
(i) 6 Amps	100 watt	3	300
(ii) 16 Amps	1000 watt	3	3000
4. ELECTRICAL GADGETS			
(i) Water heater			
(ii) Refrigerator			
(iii) Others			
5. WELDING TRANSFORMER			
6. MOTOR			
TOTAL LOAD			3800
Incase if Load enhancement existing load (in watts)			
Total Load in the premises			

Note .

(a) A details of any apparatus (Other than the above mention) should be given.

(b) Rating of Capacitor used in Induction Motor and Welding transformer (Test report of Capacitor is to be enclosed)

--

KVAR

II. Type of Wiring : upping ceiling

III. Voltage and System of Supply : 230V 4/0

IV. Test Result - CK

Date of testing by licensed contractor :

1	3	0	5	2	0	2	4
Date		Month		Year			

Type of Test	Result of Test carried out by Licensed Contractor (In MΩ) Ω	Result of Test carried out by the Supplier under relevant I.E. Rule (In MΩ) Ω
a. Insulation resistance between earth and whole system of conductor	107 MΩ	
b. Insulation resistance between all conductor	104 MΩ	
c. Earth continuity between earth electrode and earth continuity conductor	04 MΩ	
d. Polarity of non-linked SP switches	0 MΩ 230V	

V. Full name with signature of Licensed Contractor :

LIC No :

[Signature]
Govt. Registered Contractor
No. 1234

VI. Full name with signature of supervisor :(with date)

LIC No :

VII. Full name with signature of wireman :

Permit No. :



For Office used only

VIII. Signature of the Authorised Official who tested the installation behalf of supplier

Signature

IX. Date of Connection of supply to the installation :



DORBAR SHINONG MYNSAIÑ

MYLLIEM SYIEMSHIP, RAID BHOI LASA

RI BHOI DISTRICT

B.P.O. BHOIRYMBONG

MEGHALAYA - 793103

Sanad No.

Serial No. 79

Ref No D.S. 111

Dated 8.12.22

KA KOT IADIE IATHIED

Ha,

I Bala/Kong BIALTY MERRY MAJAW

Ba shong ha COUNTRY SIDE VIEW MAWDIANG DIANG

IlaKa myllem syiem ship

Ma nga U/Ka ha sokkyrteng hanan nga wan ban do duha ka jaka hok nongkynti jong nga kaba kyrteng ka SHIRBYNTA NA U LUMSOH SHAR ba don ha u pud shynshar ka Shinong Mynsaiñ, ha phi U/Ka ba don kyrteng baneng nyula ka sang 8.1.2022 ha ka dor kaba ngi la iabed lang kaba long Rs 3,00,000/- (in words THREE LAKH)
ba don ta ka pisa nga la iohpdang lut nyula ka sang ba iadie iathied

Ki Pud sawdong jong kane ka jaka ki long kumme harun:-

MIHNGI : SURUK SHINONG 338 ft.
SEPNGI : TERAS MAKHAROH D. MAJAW 321 ft.
SHATEI : E.D. KSHILAR 111 ft. MARSHITENG 38 ft.
SHATHIE : WAH LUMBIH 154 ft.

Jingheh 43062. THANE DUNN acre Sq ft.

Kurta naduh kane ka sang 8.1.2022 ka long ka hok nongkynti jong phi ba don ta ka khaun ki ki jong phi pateng la pateng, ha kaba phi lah ban rep ban nang ba don khaun pateng ka ba phi sangwail

la kane ka jingadie iathied la pyndop hapdeng ka jingadunlang ka ting ka sem tingkat ka met kaba kot bakhaah U Rangbah Shinong ba don ka Executive Committee Shinong ngi pyndokhaah ka kane ka jingadie iathied ba ka long kaba ba don ba don kaba hok

N.B.:

- (1) Phi ba don ban pyndokhaah ne pyndokhaah ki lynti Shinong ne ki pipe line ki Unham Unadit
- (2) Phi ba don ban pyndokhaah U/Ka sawdong ta ka jaka jong phi laha ka Shinong ka donkam ban shina ta ki lynti Shinong (footpath) ba don ban sunar ta la u pud u sam kulkum ka jingdew
- (3) Lada phi donkam ban trea, do ne ahi pateng shawet phi ba don ban pyndokhaah ka ba don pyndokhaah Shinong, khaung ba kane ym wanah jingheh ta phi ba don ta ka Shinong

Secretary

Secretary
Mynsaiñ
Ri-Bhoi District

Sakli-

R. Marbaning
PC

M. Kysian
MARKIA Kysian
U/Ka Nongdu

Rangbah Shinong
Kangbah Shinong
Mynsaiñ

ENT No : MTS/2022

Gender : Female
Date of Birth Age : 68

Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

Date : 14.06.2022

Electoral Registration
Officer

Assembly Constituency No. and Name : 15
MAWLAJ (ST)

Note :

1. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

More possession of this card is no guarantee that you
are eligible of the current electoral roll. Please check your
name in the current electoral roll before every election.

2. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

3. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

4. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

5. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

6. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

7. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

8. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

9. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

10. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

11. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

12. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

13. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

14. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

15. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

16. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

17. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

18. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

19. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

20. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

21. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

22. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

23. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

24. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

25. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

26. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

27. In and out card will be 4 in and out, not 2 (2) any other
Address : WNo.24, MAWLAJ MOTSYAR, VILL.
MAWLAJ, DIST EAST KHASI HILLS 793008

भारत निर्वाचन आयोग
ELECTION COMMISSION OF INDIA
भारत निर्वाचन आयोग - भारत निर्वाचन आयोग कार्ड
MT/OT/2022/7



Name : BIALTY M MAJAW
Father's Name : S KHONGWIN

DORBAR SHNONG MYNSAIN

RAIJ BHOILASA MYLLIEM SYIEMSHIP

RI-BHOI DISTRICT MEGHALAYA - 793116

Ref No D-6 M.

Date: 11-05-2024

NO OBJECTION CERTIFICATE

Nga u Rangbah Shnong jong ka Shnong Mynsain da kane nga pynshsha ba l


Bah/Kong BILLY NERAN MAJAW bashong basah ha

Countryside View, Nawlaiang ^{diang} bid l ba don jaka ha Mynsain kumta ka Shnong kam don

kano kano ka jingujor pyrshah ia l bad l lah ban apply ia ka Light na bynta ka ling jong l

kaba don hapoh ka shnong Mynsai l.

Nga kyrmen ba phin dang kiew shaphrang haki kam jong phi.


Rangbah Shnong
Mynsain Ri Bhoi District
Rangbah Shnong
Mynsain
Ri Bhoi District