

MENDIPATHAR SD NEW

VAN NO	Consumer ID	Bill No	Billing Period	Bill Generated Date	Due Date	Disconnection Date
MEPDCL1000686814	1000686814	3132002262180087	01-Jan-2026 to 21-Feb-2026	21-Feb-2026 05:05	28-Feb-2026	21-Mar-2026

Name & Address: Pranwel G Momin-Resubelpara Dekachang #135063	Type	LT	Meter No	11017703
	Category	DLT	Bill Type	OK (Normal)
	Sanction Load(KW)	4	Sanction Load(KVA)	0
	Connection Type	NG	Connection Status	INSERVICE
	Service Type	Smart Post Paid	Installation Status	Permanent Connection
	Connection Location	URBAN		
	Monthly Average Units	195.17		

Meter Readings for New Meter ID:11017703 and Meter Status: OK (Normal)					
Description	Date	KWH Meter	Kvah Meter	Recorded Demand	Recorded PF
Current Reading	21-02-2026	14012	0	0	0
Previous Reading	01-01-2026	13909.61	14521.3		
No Of Days	51				
Difference		102.39	-14521.3		
Multiplying Factor		1	1	0	0
Consumption		102.39	-14521.3		
Additional Units		0	0		
Meter Change Units		0	0		
Violation Energy Units		0	0		
Net Consumption		102.39	0	0	

Your Detailed Bill		Amount (Rs.)
Description		
Fixed Charges : For 4 KW at Rs: 90 per KW at BM:(51/31)*1		592.26
Energy Charges: For The First Slab Rs: 5 per KWH		511.95
FPPAS(DEC 25 TO DEC 25 : 112.030):		112.03
Electricity Duty : For The First 102.39 KWH at Rs: 0.05 per KWH		5.12
DPC		237.41
Current Bill Amount		1,458.77
Previous OutStanding		25,797.99
Gross Bill Amount		27,256.76
Net Bill Amount		27,257.00
AMOUNT IN WORDS		Twenty Seven Thousand Two Hundred and Fifty Seven Rupees only
Due Date		28-02-2026
Last Payment Details		
Last Payment Date		2025-02-25
Last Payment Amount		20,000.00
Sd/- Asst Executive Engineer MENDIPATHAR SD NEW		

Save Energy for the Benefit of Self and Nation

This Bill will be Construed as final notice under Section 9.2 of MSERC (Electricity Supply Code) Regulations, 2018. Supply of Electricity shall be disconnected at any date, if dues of Electricity bill is not paid within 15 (fifteen) days (notice period) after due date of the bill. Thanks for paying, We really appreciate it.