



Meghalaya Power Distribution Corporation Limited

BAJENGDOBA SUBDIVISION

VAN NO	Consumer ID	Bill No	Billing Period	Bill Generated Date	Due Date	Disconnection Date
MEPDCL1000274632	1000274632	311101425B120469	01-Oct-2025 to 13-Nov-2025	13-Nov-2025 10:44	27-Nov-2025	13-Dec-2025

Name & Address: Telchina Sangma-Darakona, Darakona #4060717300	Type	LT	Meter No	11035496
	Category	DLT	Bill Type	OK (Normal)
	Sanction Load(KW)	1	Sanction Load(KVA)	0
	Connection Type	NG	Connection Status	INSERVICE
	Service Type	Smart Post Paid	Installation Status	Permanent Connection
	Connection Location	RURAL		
	Monthly Average Units	64.15		

Meter Readings for New Meter ID:11035496 and Meter Status: OK (Normal)					
Description	Date	KWH Meter	Kvah Meter	Recorded Demand	Recorded PF
Current Reading	13-11-2025	1954	0	0	0
Previous Reading	01-10-2025	1930.09	1992.25		
No Of Days	43				
Difference		23.91	-1992.25		
Multiplying Factor		1	1	0	0
Consumption		23.91	-1992.25		
Additional Units		0	0		
Meter Change Units		0	0		
Violation Energy Units		0	0		
Net Consumption		23.91	0	0	

Your Detailed Bill	Amount (Rs.)
Description	
Fixed Charges : For 1 KW at Rs: 90 per KW at BM:(43/31)*1	124.84
Energy Charges: For The First Slab Rs: 5 per KWH	119.55
FPPAS	-24.54
Electricity Duty : For The First 23.91 KWH at Rs: 0.05 per KWH	1.20
DPC	257.44
Current Bill Amount	478.49
Previous OutStanding	28,439.83
Gross Bill Amount	28,918.32
Net Bill Amount	28,919.00
AMOUNT IN WORDS	Twenty Eight Thousand Nine Hundred Nineteen Rupees only
Due Date	27-11-2025
Last Payment Details	
Last Payment Date	09-08-2022
Last Payment Amount	2,000.00
Sd/- Asst Executive Engineer BAJENGDOBA SUBDIVISION	

Save Energy for the Benefit of Self and Nation	
This Bill will be Construed as final notice under Section 9.2 of MSERC (Electricity Supply Code) Regulations, 2018. Supply of Electricity shall be disconnected at any date, if dues of Electricity bill is not paid within 15 (fifteen) days (notice period) after due date of the bill. Thanks for paying, We really appreciate it.	