

2693

## NEW CONSUMER APPLICATION FORM

☐ If Consumer Apply for Sub Meter/ Additional Connection  
(Please tick on the check box)



## Personal Details

\* Application No.

\* Consumer Name

A. K. N. N. N.

\* Mobile No.

\* Aadhaar / EPIC No.

Darisha Rynalthing  
Srinilan Ralochang  
9089467413  
XJL-0002947

## Address Details

\* Accommodation

\* Discom

\* Zone

\* Sub Division

\* Village Name

\* State

\* Area Pincode

\* Full Address

Own / Rented (Pl tick one)

Meghalaya Power Distribution Corporation

Eastern Zone \* Circle - Ribhoi Circle \* Division - Umiam Division

Umiam Rural Distribution Sub-Division

Sumer Umiam

Meghalaya \* City - Ribhoi (Nongpoh)

793104 Locality Sumer, Umiam

Sumer Umiam

## New Connection Details

\* Consumer Type SG / CG / NG (Pl tick one)

\* Urban/Rural Type Rural / Urban (Pl tick one)

\* Activity

House

\* Contract Load Unit

KW / KVA (Pl tick one) \* Contract Load: 2KW

\* Category

Domestic \* Product Type: LT / HT (Pl tick one)

\* Scheme

All Categories excluding industrial / Industrial / Free Scheme /  
Saubhagya/ DDUGJY (Pl tick one)

## Other Details

\* Meter Number

\* Initial KWH

\* Initial KVAH

\* Meter MF

Meter Owned - Utility / Consumer (Pl tick one)

\* Phase

1 Phase / 3 Phase (Pl tick one) \* TMC - Yes / No (Pl tick one)

Meter Reader

Group No.

## List of Documents to be attach:

- \* Test Report
- \* Ownership Proof
- \* Identity Proof
- \* Meter Test Report
- \* Landlord NOC
- \* Agreement Fill
- \* Pollution Control Board

All fields mark with \* are mandatory

Date of Connection:

**APPLICATION FORM FOR PROVIDING LT SERVICE CONNECTION  
(FOR ALL CATEGORY AND FOR ALL PURPOSE)**

To,

The Area Manager/ Asstt. Executive Engineer,  
Service Connection Sub-Division/... UR... Distribution Sub-Division  
Me. SEB Umiam

(Indicate the local area of the jurisdiction of the Engineer of the licensee)

Sir,

1. I/We hereby request you to supply electricity to the premises located at the address more fully described below. I/We are the owner/ lawful occupier of the premises.
2. I/We agree to abide by the terms and conditions relating to the supply of electricity by Me. SEB and to make all payments as may be required and also to pay regularly all charges as may become due.

a). Full name and address of the applicant with contact telephone number. 9089467413

b). Status in relation to the premises

Owner ☐

Occupier ☐

c). Location and address of the premises including Police Station. Sumer Umbang

d). Nature of LT supply :

Commercial ☐

Domestics ☐

Industrial ☐

General Purpose ☐

W&LT ☐

PL ☐

Agriculture ☐

KJ ☐

2KW Load Sanction from  
Sumer Umbang 200KVA S/S

Junior Engineer  
Umiam Rural Distribution Sub-Division  
MePDCL, Umiam

Date:

D. R. N. K. R. N.  
Applicant's Signature

NB : The following documents are to be enclosed :

- 1). Test Report from Licensed contractor.
- 2). Agreement Form duly filled in.
- 3). Proof of ownership (in case applicant is owner).
- 4). Number of nearest Electric Pole.
- 5). NOC of the owner of the premises (in case the application is an occupier).
- 6). Attested copy of permission obtained from Pollution Control Board.
- 7). Building permission from the concerned authority.

Phyphol 10/3/25  
Assistant Executive Engineer  
Investigation & Enforcement Sub-Division  
Rural (D) Circle, MePDCL  
Umiam

**AGREEMENT FOR SUPPLY OF ELECTRICITY**  
**LOW TENSION.**



AN AGREEMENT made this the \_\_\_\_\_ day of \_\_\_\_\_ 20\_\_\_\_  
between \_\_\_\_\_ and his successors and assigns  
(hereinafter referred to as the Consumer) of the One Part and the Meghalaya State Electricity Board  
and electricity distribution licensee under the Electricity Act, 2003 and its successors and assigns  
(hereinafter referred to as the Board) of the Other Part.

**Note:** The term 'consumer' includes and individual person (whether male or  
female), a body of persons, a company, society, firm, association or organization.

**WHEREAS**, the consumer has applied to the Board for supply of electricity to its premises  
and the Board has agreed to give the supply under the terms and conditions hereinafter appearing.

**NOW, THEREFORE**, the agreement witnesses-

- 1) That the supply shall be given to the premises located at Sumer Umbang with  
the consumer as owner/occupier of;
- 2) That the supply shall be for the purpose of Domestic, the load  
whereof shall not exceed 2000 watt(s);
- 3) That the provisions of the Electricity Act, 2003 and the Regulations, Code and Orders, including  
Tariff Orders, as may be made from time to time by the Meghalaya State Electricity Regulatory  
Commission shall apply and bind the consumer and the Board alike;
- 4) That the consumer shall regularly and timely pay to the Board all charges and may be due for the  
supply of electricity;
- 5) That the Agreement shall be for a period of two years and may be renewed for a further period:  
Provided that supply shall not be terminated by mere efflux of time if the consumer is willing  
that the agreement is renewed;
- 6) That the Agreement shall be terminated if the consumer on its part desires it so and give to the  
Board a prior notice of not less than one month or, on the part of the Board, if the consumer has  
violated any of the terms and conditions of the agreement;

Provided that on the part of the Board notice shall be given to the consumer stating the reasons for the proposed termination and giving him opportunity to state his case and his statement, I any, duly considered before the agreement is terminated and the supply of electricity cut off,

- 7). That the terms and conditions of this Agreement shall be effective from the date supply of electricity I commenced.

**IN WITNESS WHEREOF** the parties hereto have set their hands and seals the date, month and year first above written.

*D. D. N. Theng*

( )  
The Consumer

( )  
For and on behalf of the Board

**Witnesses :-**

1. Signature :

Name :

Address :

1. Signature :

Name :

Address :

|   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|

[illegible]

|   |   |   |   |   |  |   |   |   |   |   |                |  |  |  |  |  |  |  |  |
|---|---|---|---|---|--|---|---|---|---|---|----------------|--|--|--|--|--|--|--|--|
| N | C | m | I | E |  | V | m | S | A | x | K <sub>s</sub> |  |  |  |  |  |  |  |  |
|---|---|---|---|---|--|---|---|---|---|---|----------------|--|--|--|--|--|--|--|--|

Figure 1 shows the results of the regression analysis.

| Details of Load                                                                                       | Voltage of each item  | Phase - 1    | Phase - 2             | Phase - 3 | Total Watt of all 3 phases |
|-------------------------------------------------------------------------------------------------------|-----------------------|--------------|-----------------------|-----------|----------------------------|
| 1. Light point<br>(i) Fluorescent<br>(ii) Incandescent<br>(iii) CFL<br>(iv) LED<br>(v) Others/LED     | 9 Watt                | 7 No         | 6 No                  |           |                            |
| 2. Fan Point                                                                                          |                       |              |                       |           |                            |
| 3. Plug Point: 3 pin<br>(i) 5Amps<br>(ii) 15Amps                                                      | 100 Watt<br>1000 Watt | 6 No<br>1 No | 600 Watt<br>1000 Watt |           |                            |
| 4. Electrical wiring<br>(i) Vialor Heater<br>(ii) Refrigerator<br>(iii) Air Conditioner<br>(iv) Other |                       |              |                       |           |                            |
| 5. Welding Transformer                                                                                |                       |              |                       |           |                            |
| 6. Motor                                                                                              |                       |              |                       |           |                            |
| Total                                                                                                 |                       |              | 1663 Watt             |           |                            |
| In case of load enhancement<br>Existing load (in watts)                                               |                       |              |                       |           |                            |
| Total load in the premises (in watts)                                                                 |                       |              | 2 kW                  |           |                            |

Notes :-

- (b) Rating of capacitor used in Induction Motor and Welding Transformer (Test report of capacitor is to be enclosed)

KVAR

II. Type of wiring

20/00 /

III. Voltage and system of supply

240 V

IV. Test Result

Tests of Testing by Licensed Contractor

|   |   |   |   |   |   |
|---|---|---|---|---|---|
| 2 | 1 | 0 | 2 | 2 | 5 |
|---|---|---|---|---|---|

| Type of Test                                                                      | Result of test carried out by<br>Licensed Contractor<br>In (MCD/) | Result of test carried out by<br>the supplier under relevant<br>IE Rules, In (MCD/) |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| a. Insulation resistance<br>between earth and whole<br>system of conductor        | 10.1 MΩ                                                           |                                                                                     |
| b. Insulation resistance between<br>all conductors                                | 10.1 MΩ                                                           |                                                                                     |
| c. Earth continuity between earth<br>electrodes and earth continuity<br>conductor | 3.02                                                              |                                                                                     |
| d. Polarity on non-linked RCD<br>switches                                         | OMV (PN 2.2kV<br>LN 0.2V)                                         |                                                                                     |

V. Full Name with signature of Licensed Contractor

LIC No

VI. Full Name with signature of supervisor  
(with date)

VII. Full Name with signature of workman  
(with date)

PERMIT NO.

VIII. Signature of the authorized official who tested  
The installation of behalf of supplier.

IX. Date of connection of supply to the installation

*[Signature]*  
K. H. LANGST  
Electrical Supervisor  
Civil Road No. 1307



ELECTION COMMISSION OF INDIA  
IDENTITY CARD XJL0003947



Name : DARISHA RYNTATHLANG

Husband's Name : SAMIRON BHATTACHARJEE

Sex : F

Age as on 1.1.2009 : 35

IDENTITY CARD XJL0003947

Address : 61/1 BIVAR ROAD  
Town/Vill. : SHILLONG  
District : EAST KHASI HILLS Pin - 793001

Signature  
Electoral Registration Officer

For 17-NORTH SHILLONG Assembly Constituency

Place : EAST KHASI HILLS  
Date : 29.12.2008

OPHIS JONG KA DORBAR SHNONG SUMER UMBANG  
RAID MAWBUH :: MYLLIEM SYIEMSHIP  
RI-BHOI DISTRICT

**KA DULIR KHYNDEW**

PATTA NO. DSSU/PT-II/2023.

Dated: 18<sup>th</sup> March 2023

Nga H/ Ka ... Ridalin Shullai ..... ba shong  
basah ha ... Lunkhaid, Lower Mawprem, East Maw Hills Khun/ Lok jong  
(Late) O. Myndial ..... mynta ka sangi  
jong ka ... 18<sup>th</sup> March 2023 ..... nga la die duh/shi bynta/buroh ia ka  
jaka jong nga kaba don ha shnong Sumer Uimbang, Dong Block - A.  
ha H/ Ka ... Darisha Ryntathiang ..... Lok/ Khun  
jong U/ Ka ... Samiran Bhattacharjee ..... ba shong basah  
ha ... Uimbang Sumer G.S. Road ..... ha ka dor? 450,000/-  
(Rupees Saw lakh ptra ptra lajas tyipa .)

Ki pud sawdong Jong kane ka Jaka kaba nga la die ki long kumne harum:-

Mihngi : Taklap kad ka surok (kale) (14/11) = 66/11.  
Sepngi : Taklap kad ka jaka ka R. Shullai = 55/11.  
Shatei : Taklap kad ka jaka ka W. Shullai = 48/11.  
Shathie : Taklap kad ka jaka jong u K. Shullai = 87/11.

Ka jingheh (Area) jong kane ka jaka ka long kumba 4020 Sq.ft -  
tam ne duna.

Ia kane ka jingdie noh jong nga ia kane ka jaka, yn ym don shuh ba lah ban kam trai ne  
ujor hadien habud. Lada don ka jingkit khlieh kan long ka jong nga ka trai nongdie hi.

Nga pynshisha ia kane ka jingdie noh ia kane ka jaka, da kaba nga soi ia la ka jong  
ka kyrteng harum kum ka trai nongdie, hapdeng ka jingdon ryngkat U Rangbah Shnong ka  
shnong ryngkat ki sakhi satar.

Dhrytha

(KA DARISHA RYNTATHIANG)  
(NONGTHIED JAKA)

Ridalin

(KA RIDALIN SHULLAI)  
(NONGDIE JAKA)

SAKHI

1) ANTHONY SUMER  
2) FRANCIS MAWLONG

(ANTHONY SUMER)

Sumer Uimbang  
Ri-Bhoi District

(LIVINGSTONE THABAN)

Secretary  
Sumer Uimbang Village  
Ri-Bhoi District.

NA KA DORBAR U SYIEM RAID MAWBUIH  
MYLLIEM SYIEMSHIP, UMROI

Dated : Umroi

The 15<sup>th</sup> Sept 2023

Ha,

U/Ka Darisha Rynthiang

Da kane la shah ia phi ba phin rep phi nang bad dakhol ia kane ka jaka / Pyrshah Kba kaba don ha  
Steamer Lembang Black "A"  
Raid Mawbuh, Mylliem Syiemship.

Phin pyndonkam ia kane ka jaka tang hapoh kine ki sawdong pud ba la ai harum :

MIHNGI La khap bad ka Suwak Kali (14.15) - 6675  
SEPNGI La khap bad jaka ka R. Shullai - 5515  
SHATEI La khap bad jaka ka M. Shullai - 4515  
SHATHIE La khap bad jaka ka E. Shullai - 5715  
Jykt - 402591 - Tan. me du na.

1. Haba phi rep phi nang ne dakhol ia katei ka jaka phi dei ban kohnguh ia ka jingpyniaid bad jingsynshar jong kane ka Dorbar.
2. Ka dustur bad riti jong ka Raid ka long ba lada phi ia leh neh khien rep khien nang ne khlem trel khlem ktah ne khlem dakhol ia katei ka jaka hapoh ka 3 (lai) snem, kane ka Dorbar ka lah ban ai noh shawei pat, bad phim lah ban ujo ei ei, ruh em.
3. Phim lah ban die lane aiti shawei pat ia katei ka jaka khlem ka jingtip bad ka jingmynjur jong kane ka Dorbar. Lada phi leh pyrshah ia kane, kata kan long ka jingkitknieh jong phi hi.
4. Lada shem ba phi leh pyrshah ia kawe na ki kyndon lane pyrshah ia ka jingmynjur jong kane ka Dorbar, kata lah ban pyshitom ia phi bad knieh noh ia katei ka jaka na ka jingdakhol jong phi.



[Signature]  
Syiem  
Raid Mawbuh

Ma nga U/Ka Darisha Rynthiang

ba shong ha Steamer Lembang Raid Mawbuh.

nga mynjur bad kohnguh ia kitei ki kyndon baroh kumba la thoh haneng.

Dated : Umroi

The 15<sup>th</sup> - 09, 2023.

B. Rynth  
Jingroi Kyrteng

**SHNONG SUMER UMBANG**  
**MYLLIEM SYIEMSHIP**  
Raid Mawbuh, Ri Bhoi District

Date: 09/10/2023

No objection certificate

This is to certify that the Dorbar shnong of Sumer umbang has got no objection to smti - Darisla Ryntathiang for apply Electricity service to her residence.

  
(A. Sumer)  
Headman  
Sumer Umbang Village  
Ri-Bhoi District

# Cash Memo

नकद पत्र

Id to

स्ता

No. क्रमांक

Date तिथि

21/03/25

| QTY.<br>संख्या                                        | PARTICULARS<br>विवरण     | RATE<br>दर | AMOUNT<br>रकम<br>₹ P. |
|-------------------------------------------------------|--------------------------|------------|-----------------------|
| 1 No                                                  | Meter Box                | 1000       | 1000 00               |
| 20 mtrs                                               | PVC wire 6mm             | 80         | 1600 00               |
| 1 No                                                  | Cutout 32A               | 250        | 250 00                |
| 1 No                                                  | GI Earth pipe 40mm       | 370        | 370 00                |
| 2 kgs                                                 | GI wire 16SWG            | 100        | 200 00                |
| 3 mtrs                                                | GI pipe 25mm dia         | 260        | 780 00                |
| 2 Nos                                                 | GI Bend 25mm dia         | 40         | 80 00                 |
| 3 Nos                                                 | GI Socket 25mm dia       | 35         | 105 00                |
| 3 Nos                                                 | Service clamp (25x5)     | 24         | 72 00                 |
| Misc                                                  | (Black tape, Fuse & Scm) |            | 300 00                |
| (Rupees Four Thousand Seven Hundred fifty seven) only |                          |            |                       |



Thank You ! धन्यवाद!

E.&O. मूल-वस्तु निम्नी देनी

M/s. P. D. Electrical

Neelgagan

Goods once sold will not be taken back

Lic. No : 381

Total  
जोड़

4757 00

Signature  
हस्ताक्षर

Meghalaya Power Distribution Corporation Limited  
P.O. Box 10, Shillong

Duplicate:1

Account Details

Sub-Division **UMIAM SUBDIVISION**  
Consumer Id **1000198189**  
MR Code **2232004**  
Consumer Name **Mr.P. Tympuh**  
Address **Umhang Umhang, Umhang**  
**#31D55**  
Category **DLT**  
C Demand/Load **4KW**  
Motor No **197891**  
OMF(Gens) **1**

Billing Details

Prev. Reading Date **21/01/2025**  
Curr. Reading Date **13/02/2025**  
No. of Days **23**  
Bill Number **2232004252130156**  
Bill Status **PROV(Inaccessible)**  
Prev KWH **0.0**  
Current KWH **0.0**  
Billed Unit **0.0**  
Recorded MD **0**  
Power Factor **0**  
Average **460.8**

Bill Charges

Fixed Charges (Unit, Rate, Amount)  
4.0 KW **90.0** **267.10**  
Energy Charges (Unit, Rate, Amount)  
Nil **Nil** **Nil**  
ED Amount (Unit, Rate, Amount)  
Nil **Nil** **Nil**  
FPPAS **0.00**  
DPC **469.98**  
Current Bill Amt **737.08**  
Prev Outstanding **46997.73**  
Adjustment **0.00**  
Gross Bill Amount **47734.81**

Net Bill Amount

**₹ 47735.00**  
Due Date **27/02/2025**

13/02/2025 16:11 V4.0

This bill will be construed as final notice under Section 9.2 of MSERC (Electricity Supply Code) Regulations, 2018. Supply of electricity shall be disconnected at any date, if dues of Electricity bill is not paid within 15 (fifteen) days (notice period) after due date of the bill. Thanks for paying, We really appreciate it!



For Bill Payments, Please visit [www.meghapower.com](http://www.meghapower.com) OR  
Download Megha Power App from Google Playstore