

2580

NEW CONSUMER APPLICATION FORM

☐ If Consumer Apply for Sub-Meter/ Additional Connection
(Please tick on the check box)



Personal Details

*Application No.
*Consumer Name
Justa Suian
D. Kharkongor
*Mobile No.
87308 38158
Aadhaar / EPIC No.
LVR0576249

Email

Address Details

*Accommodation Own / Rented (Pl tick one)
*Discom Meghalaya Power Distribution Corporation
*Zone Eastern Zone *Circle Ribhoi Circle *Division Umiam Division
*Sub Division Umiam Rural Distribution Sub-Division
*Village Name Mawnohsynrum
*State Meghalaya *City Ribhoi (Nongpoh)
*Area Pin Code 793103 Locality Mawnohsynrum
*Full Address Mawnohsynrum

New Connection Details

*Consumer Type SG / CG / NG (Pl tick one) *Urban/Rural Type Rural / Urban (Pl tick one)
*Activity House
*Contract Load Unit KW / KVA (Pl tick one) *Contract Load 3KW
*Category Domestic *Product Type LT / HT (Pl tick one)
*Scheme All Categories excluding industrial / Industrial / Free Scheme /
Saubhagya/ DDUGJY (Pl tick one)

Other Details

*Meter Number _____ *Initial KWH _____ *Initial KVAH _____
*Meter MF _____ Meter Owned - Utility / Consumer (Pl tick one)
*Phase 1 Phase / 3 Phase (Pl tick one) *TMC Yes / No (Pl tick one)
Meter Reader _____ Group No. _____

List of Documents to be attach:

- *Test Report
- *Ownership Proof
- *Identity Proof
- *Meter Test Report
- Landlord NOC
- Agreement Fill
- Pollution Control Board

Kong dai do the necessary action
for install additional meter

Umiam Rural Distribution
MePDCL, Umiam
Date of Connection: _____

Sub-meter

APPLICATION FORM FOR PROVIDING LT. SERVICE CONNECTION (FOR ALL CATEGORY AND FOR ALL PURPOSE)

To: *Santhosh Kumar*

Transformer 25 KV
B. Nagar

To,

The Area Manager/Asstt. Executive Engineer
Service Connection Sub-Division/...URDSD... Distribution Sub-Division
MeECL URDSD, Umiam

(Indicate the local area of the jurisdiction of the Engineer of the licensee)

Sir,

1. I/We hereby request you to supply electricity to the premises located at the address more fully described below. I/We are the owner/lawful occupier of the premises.
2. I/We agree to abide by the terms and condition relating to the supply of electricity by MeECL and to make all payments as may be required and also to pay regularly all charges as may become due.

3. a) Full name and address of the applicant with contact telephone number

JUSTA SUIAM
Mannoh Synnum.

- b) Status in relation to the premises

Owner

☒

Occupier

☐

- c) Location and address of the premises including Police Station.

- d) Nature of LT. supply :

Comercial

☐

Domestic

☒

Industrial

☐

General Purpose

☐

WSLT

☐

PL

☐

Agriculture

☐

KJ

☐

3kw Load Sanction from
Mannohsynnum 25kVA S/S

Junior Engineer

Umiam Rural Distribution Sub-Division
MePDCL, Umiam

Date:

J. Sivan
Applicant's Signature

NB: The following documents are to be enclosed :

- 1) Test Report from Licensed contractor.
- 2) Agreement Form duly filled in.
- 3) Proof of ownership (in case applicant is owner).
- 4) Number of nearest Electric Pole.

193050
007468

Email

X

(If tick one)

Power Distribution Corporation

MeSEB Scheduled Form 7

MEGHALAYA POWER DISTRIBUTION CORPORATION
LIMITED.

3 PHASE TEST REPORT

This is to certify that repaired/renewed/additional/new electric installation at the premises of :-

Full name :-

J U S T A S U I A M

(Please leave one block between name and surname)

(Address)

M D W N O H S Y N D R U M,

Is duly completed tested and ready for your Engineer to test and connect on your main line.

I-. The Load has been arranged as follows :

1- The Load has been arranged as follows :								
Details of Load	Wattage Of each items	Phase-1		Phase-2		Phase-3		Total Watt of all 3 phase
		No of Pts	Total	No of Pts	Total	No of Pts	Total	
1. LIGHT POINTS								
(i) Fluorescent	100	4	400W					
(ii) Incandescent								
(iii) CFL								
(iv) Halogen								
(v) Others								
2. FAN POINTS								
3. PLUG POINTS 3PIN								
(i) 6 Amps	100	2	200W					
(ii) 16 Amps	1000	2	2000W					
4. ELECTRICAL GADGETS								
(i) Water heater								
(ii) Refrigerator								
(iii) Others								
5. WELDING TRANSFORMER								
6. MOTOR								
TOTAL LOAD		2600W						
Increase if Load enhancement existing load (in watts)								
Total Load in the premises		3Kw						

Note :

(a) A details of any apparatus (Other than the above mention) should be given

(b) Rating of Capacitor used in Induction Motor and Welding transformer (Test report of Capacitor is to be enclosed)

II. Type of Wiring : Looping Capping

III. Voltage and System of Supply : 230V / n/c

0	1	0	1	2	0	2
Date		Month		Year		

IV. Test Result :-
Date of testing by licensed contractor :

Type of Test	Result of Test carried out by Licensed Contractor (In MΩ) Ω	Result of Test carried out by Supplier under relevant I.E. (In MΩ) Ω
a. Insulation resistance between earth and whole system of conductor	107 MΩ	
b. Insulation resistance between all conductor	110 MΩ	
c. Earth continuity between earth electrode and earth continuity conductor	4 MΩ	
d. Polarity of non-linked SP switches	0 MΩ 230V	

V. Full name with signature of Licensed Contractor :

LIC No :

M/s Mawlong
Govt. Registered Contractor
License No. 1128

VI. Full name with signature of supervisor (with date)

LIC No :



VII. Full name with signature of wireman :

Permit No. :

Shangkhiew

For Office used only

VIII. Signature of the Authorised Official who tested the installation behalf of supplier

Signature

IX. Date of Connection of supply to the installation :

2
5

**AGREEMENT FOR SUPPLY OF ELECTRICITY
LOW TENSION**



AN AGREEMENT made this the day of 20.....

between and his successors and assigns (hereinafter referred to as the Consumer) of the One Part and the Meghalaya Energy Corporation Ltd. an electricity distribution licensee under the Electricity Act, 2003 and its successors and assigns (hereinafter referred to as MeECL) of the Other Part.

Note : The term 'consumer' includes an individual person (whether male or female), a body of persons, a company, society, firm, association or organisation.

WHEREAS, the consumer has applied to the MeECL for supply of electricity to its premises and the MeECL has agreed to give the supply under the terms and conditions hereinafter appearing.

NOW, THEREFORE, the agreement witnesses -

1. That the supply shall be given to the premises located at Mowrah Synchro with the consumer as owner/occupier of.
2. That the supply shall be for the purpose of DLT the load whereof shall not exceed 3000 watt(s).
3. That the provisions of the Electricity Act, 2003 and the Regulations, Code and Orders, including Tariff Orders, as may be made from time to time by the Meghalaya State Electricity Regulatory Commission shall apply and bind the consumer and the MeECL alike.
4. That the consumer shall regularly and timely pay to the MeECL all charges and may be due for the supply of electricity.
5. That the Agreement shall be a period of two years and may be renewed for a further period: Provided that supply shall not be terminated by mere efflux of time if the consumer is willing that the agreement is renewed.
6. That the Agreement shall be terminated if the consumer on its part desires it so and gives to the MeECL a prior notice of not less than one month or, on the part of the MeECL, if the consumer has violated any of the terms and conditions of the agreement.

Provided that on the part of the MeECL notice shall be given to the consumer the reasons for the proposed termination and giving him opportunity to state his case and the statement, if any, duly considered before the agreement is terminated and the supply of electricity cut off.

7. That the terms and conditions of this Agreement shall be effective from the date supply of electricity is commenced

IN WITNESS WHEREOF the parties hereto have set their hands and seals the date, month and year first above written

The Consumer

Witnesses :-

1. Signature :

Name :

Address :

1. Signature :

Name :

Address :

For and on behalf of the MeECL

Dated Sumner
The 30th Jan

eng nah pho
jong ka m/L Sh.

Kat Kum
Ka Bantika Nongkym
Ka Khan
Pyntip
Western bypass
Bad Shua
Law

DORBAR 5
RAID M

Details
eter

DORBAR SHNONG MAWNOHSYNRUM

RAID MADAN KYRDEM KHYRIM SYIEMSHIP
RIBHOI DISTRICT

KOT IA DIE IA THIED
PYNTHOR HALL KBA / LUM/KPER

04/06/2018

NONGAISIEW BAI LUT DUH die duh.
Smt. Shidalin Syngkli (mawnohsynrum)
Ha.

NONGTHIED DUH
Smt. Gusta Suam

#/Ka Gusta Suam ba shong ha. phut sol.
Raid mylliam Syiem Ship ban soi lala ka kyrteng
Nga #/Ka Shidalin Syngkli
harum, nga wan ban Al siew bai lut duh die duh ha phi u/ka ba don kyrteng haneng iaka
pynthor hall kba/Lum/KPER, jong nga ba kyrteng ka "lum pdeng panthung
", kaba don ha shnong Mawnohsynrum, haka
dor Rs 20000 (thitak jyngha bteung)
Iaka pisa nga la loh lut mynta ka sngi. 20/6/2018.
Ki pud sawdong jong katel ka jaka ki long kumne harum :-

1. Mihngi : Haduh Khappud Ka Shidalin Syngkli
Ka don = 180 Phut
2. Sepngi : Haduh pud pynthor Ka Dalsi Rymbai
Ka don = 382 Phut
3. Shatei : Haduh Khappud Ka Shidalin Syngkli
Sunck = 381 Phut.
4. Shathie : Haduh Khappud Ka Shidalin Syngkli = 162
Ka lanti naduh sunck bismumuid, ta uja. haduh
Khappud iingmahe catholick haduh ka tei ka jaka.

Kumta naduh mynta ka sngi katel ka jaka ka la long ka hok nongkynti jongphi
bad ki nong loh pateng jongphi Pateng la pateng.. Lada don ba uja ne kam ia katel ka jaka
kan long halor jong nga. la kane nga kular hapteng ka jingtip briew bha bad ha ka met ba
koit ba khiah ha khmat ki sakhi satar bad ki nongthoh. nga pynshisha da kaba nga soi lala ka
kyrteng.

Sakhi

Nongthia
Secretary Shnong
Mawnohsynrum
Ri-Bhoi District

Nongdiaduh

1. S. nongli

5. J. nongli

2. J. Satar

6. J. Satar

3. Phul maring

Rangbah Shnong
Mawnohsynrum
Raid Madan Kyrdem

M. nongli Syngkli

Munstan. K. Schroh

Meghalaya Power Distribution Corporation Limited

UNIAM RURAL DIST SUBDIVISION

Legacy Consumer ID	Consumer ID	Bill No	Billing Period	Bill Generated Date	Due Date	Disconnection Date
4000206956	1000518012	223106314C050136	15-Nov-2024 to 15-Dec-2024	05-Dec-2024 11:17	27-Dec-2024	05-Jan-2025

Name & Address: Jitu Sukti-Mawnohyrum,
Mawnohyrum

Type	LT	Meter No	000001
Category	DMF	Bill Type	EDF (Meter Not Working)
Sanction Load(KW)	1	Sanction Load(KVA)	0
Connection Type	NR	Connection Status	ENERGISE
Service Type	Post Paid	Installation Status	Permanent Connection
Connection Location	RURAL		
Monthly Average Units	115.2		

Meter Readings for New Meter ID:4644561 and Meter Status: EDF (Meter Not Working)

Description	Date	KWH Meter	KVAh Meter	Recorded Demand	Recorded PF
Current Reading	05-12-2024	607	0	0	0
Previous Reading	15-11-2024	607	0		
No Of Days	20				
Difference		0	0	1	
Multiplying Factor		1	0		
Consumption		0	0		
Additional Units		0	0		
Meter Change Units		0	0		
Violation Energy Units		0	0	0	
Net Consumption		76.80	0		

Your Detailed Bill

Amount (Rs.)

Description	Amount (Rs.)
Fixed Charges : For 1 KW at Rs: 90 per KW in HM(20/30)*1	60.00
Energy Charges: For The First Slab Rs: 5.55 per KWH	370.00
Energy Charges: For Next Slab Rs: 5.65 per KWH	57.25
FPPAS	0
Electricity Duty : For The First 76.80 KWH at Rs: 0.05 per KWH	3.84
Current Bill Amount	491.09
Consumer Credit	-0.22
Gross Bill Amount	490.87
Net Bill Amount	491.00
AMOUNT IN WORDS	Four Hundred and Ninety One Rupees only
Due Date	27-12-2024

Last Payment Details

Last Payment Date	2024-11-21
Last Payment Amount	592.00

Sd/-

Asst Executive Engineer
UNIAM RURAL DIST SUBDIVISION

Save Energy for the Benefit of Self and Nation

This Bill will be Construed as final notice under Section 9.2 of MSERC (Electricity Supply Code) Regulations, 2018. Supply of Electricity shall be disconnected at any date, if does of Electricity bill is not paid within 15 (fifteen) days (notice period) after due date of the bill. Thanks for paying. We really appreciate it.

SCHNEIDER ELECTRIC INDIA PRIVATE LIMITED

MPS, Gate No 1, Plot No 324-330, KIADB Industrial Area, Hebbal-Hootagalli, Mysuru - 570 018.

TEST CERTIFICATE

ITEM : Single Phase Static Watthour Meter
METER SL NO. : A8258074
RATING : 5-30A, 240V, 50Hz
METER CLASS : 1.0
CONSTANT : 3200 Impulses per kWh
STANDARD : IS 13779

The Meter was tested & has passed following routine tests as per IS: 13779 at reference conditions:

	TEST	RESULT
01	No-Load Conditions	Passed
02	AC Voltage Test	Passed
03	Insulation Resistance Test	Passed
04	Starting Test	Passed
05	Meter Accuracy Test	Passed Meter Accuracy Observed within $\pm 1\%$

Initial Reading

00001

CERTIFIED

Signature:

Date:

27/01/2024

Meter Tester Gr - I
MTI Laboratory
MePDCL, Lumjingshal
Shillong

Executive Engineer
MTI Division
MePDCL, Shillong

Address : 106 POHKSEH


ELECTION COMMISSION OF INDIA

IDENTITY CARD LVR0576249

 

Name : JUSTA SUJAM
Husband's Name : D KHARKONGOR

Sex : F Age as on 1.1.2007 : 53

IDENTITY CARD LVR0576249

Address : 106 POHKSEH SOUTH
Town/Vill. - POHKSEH
District - EAST KHASI HILLS Pin - 793014


Electoral Registration Officer

For 17 LAITUMKHEH Assembly Constituency

Place : EAST KHASI HILLS
Date : 14.12.2006