



Distribution Corporation Limited  
ELECTRICITY BILL

UMIAM SUBDIVISION

**1000201249**

2232002

Consumer Name

Kralin Phanbuh

Address

Mawlein Mawkhan, Mawlein

Mawkhan #3130125200

Category

DLT

C. Demand/Load

1KW

Meter No.

SS15235-1-1

DMF(Cons)

1

VAN No.

MEPDCL1000201249

Billing Details

Prev. Reading Date

22/10/2025

Cur. Reading Date

**13/11/2025**

No. of Days

22

Bill Number

223200225B130460

Bill Status

OK(Normal)

Prev KWH

5149.0

Current KWH

5205.0

Billed Unit

56.0

Recorded MD

0

Power Factor

0

Average

Bill Charges

Fixed Charges (Unit, Rate, Amount)

1.0 KW

90.0

63.87

Energy Charges (Unit, Rate, Amount)

56.0

5.0

280.00

ED Amount (Unit, Rate, Amount)

56.0

0.05

2.80

IPPAS

-16.93

( SEP 25 TO SEP 25 : -16.930 )

DPC

3.08

Current Bill Amt

332.82

Prev Outstanding

310.58

Adjustment

0.00

Gross Bill Amount

643.4

Net Bill Amount

**₹ 644.00**

Due Date

**26/11/2025**

Last Payment Date

26/09/2025

Last Payment Amount

566

100-KVA  
20 M.T  
R.D.

APPLICATION FORM FOR PROVIDING LT SERVICE CONNECTION  
(FOR ALL CATEGORY AND FOR ALL PURPOSES)



To,

The Area Manager/Asst. Executive Engineer,

Service Connection Sub-Division / Distribution Sub-Division

Mc SEB

(Indicate the local area of the jurisdiction of the Engineer of the licensee)

Sr.

- I/We hereby request you to supply electricity in the premises located at the address more fully described below. I/We are the owner/ownerless occupier of the premises.
- I/We agree to abide by the terms and conditions relating to the supply of electricity by M.S.D.S and to make all payments as may be required and also to pay regularly all charges as they become due.

(I/We) Name and address of the applicant with correct telephone number

Smt. Savalynne Kylla, Maw Khan  
B/S - in a lot in the premises

Owner

ph. no - 700 55 36 271  
98632 77444

c) Location and address of the premises including Police Station

Umiam P.S

d) Nature of LT supply:

Commercial

Domestic

Industrial

General Purpose

WSLT

PL

Agriculture

KJ

load sanction: 062KW  
at 17.7m. maw bin  
maw Khan: distance  
20 meter

S. Kylla

Applicant's Signature

Date: 18/2/26

The following documents are to be enclosed

- 1) Test Report from Licensed contractor.
- 2) Agreement Form duly filled in
- 3) Proof of ownership (in case applicant is owner).
- 4) Number of nearest Electric Pole.
- 5) NOC of the owner of the premises (in case the application is an occupier).
- 6) Attested copy of permission obtained from Pollution Control Board.
- 7) Building permission from the concerned authority.

AGREEMENT FOR SUPPLY OF ELECTRICITY  
LOW TENSION.

AN AGREEMENT made this the 18<sup>th</sup> day of February 2026  
between Saralyne Kylla and his successors and assigns  
(hereinafter referred to as the Consumer) of the One Part and the Meghalaya State Electricity Board  
and electricity distribution licensee under the Electricity Act, 2003 and its successors and assigns  
(hereinafter referred to as the Board) of the Other Part.

Note : The term 'consumer' includes and individual person (whether male or female), a body of persons, a company, society, firm, association or organization.

WHEREAS, the consumer has applied to the Board for supply of electricity to its premises and the Board has agreed to give the supply under the terms and conditions hereinafter appearing.

NOW, THEREFORE, the agreement witnesses-

- 1) That the supply shall be given to the premises located at Mawkhan the consumer as owner/occupier of;
- 2) That the supply shall be for the purpose of D/L the load whereof shall not exceed 2 Kw;
- 3) That the provisions of the Electricity Act, 2003 and the Regulations, Code and Orders, including Tariff Orders, as may be made from time to time by the Meghalaya State Electricity Regulatory Commission shall apply and bind the consumer and the Board alike;
- 4) That the consumer shall regularly and timely pay to the Board all charges and may be due for the supply of electricity;
- 5) That the Agreement shall be for a period of two years and may be renewed for a further period: Provided that supply shall not be terminated by mere efflux of time if the consumer is willing that the agreement is renewed;
- 6) That the Agreement shall be terminated if the consumer on its part desires it so and give to the Board a prior notice of not less than one month or, on the part of the Board, if the consumer has violated any of the terms and conditions of the agreement.

Provided that on the part of the Board there shall be given to the contractor such reasons for the proposed termination and given him opportunity to state his case and argument, if any, duly considered before the agreement is terminated and the supply of electricity cut off.

7). That the terms and conditions of this Agreement shall be effective from the date supply of electricity is commenced)

IN WITNESS WHEREOF the parties hereto have set their hands and seals the date month and year first above written.

S. Kylla

( )  
The Applicant

( )  
For and on behalf of the Board.

Witnesses :-

Signature : J. Malganiy

Name : J. Malganiy

Address : Maw Khan

Signature :

Name :

Address :

# TEST REPORT.

If Co  
IPR

to carry out the required/re-works/additional/new electric installation at the premises of

Per No. **Mti-SARALYNE KYLLA**

(Please leave one block between name & surname)

By Name: **MAWKHAN**

(Address)  
is fully completed, tested and is ready for your Engineer to test and connect on your main line.

1. The load has been arranged as follows :-

Details of Load	Wattage of each item	Phase			Total Watt of all 3 phases
		Phase-1	Phase-2	Phase-3	
1. Light Points (i) Fluorescent (ii) Incandescent (iii) CFL (iv) Halogen (v) Others <b>LED</b>	<b>20watt</b>	<b>20 NOS = 400watt</b>			
2. Fan Points					
3. Plug Points (3-pin) (i) 8Amps (ii) 16Amps	<b>100watt</b> <b>1000watt</b>	<b>5 NOS = 500watt</b> <b>1 NO. = 1000watt</b>			
4. Electrical gadgets (i) Water Heater (ii) Refrigerator (iii) Air Conditioner (iv) Other					
5. Welding Transformer					
6. Motor					
Total		<b>1900watt</b>			
In case of load enhancement Existing load (in watts)					
Total load in the premises (in watts)					

- Notes :-
- (a) Details of any apparatus (other than the above mentioned) should be given.
  - (b) Rating of capacitor used in Induction Motor and Welding Transformer (Test report of capacitor is to be enclosed)

[Signature Box]

KVAB

pre looping system

III. Voltage and system of supply 240 volts

IV Test Result : O.K

Date of Testing by Licensed Contractor :

1 8 0 2 2 6


Type of Test	Result of test carried out by licensed contractor in (M $\Omega$ )/ $\Omega$	Result of test carried out by the supplier under relevant IE Rules, in (M $\Omega$ )/ $\Omega$
a. Insulation resistance between earth and whole system of conductor	35 M- $\Omega$	
b. Insulation resistance between all conductors	35 M- $\Omega$	
c. Earth continuity between earth electrode and earth continuity equipment	phase	
d. Continuity on two-linked 3P switches		

Full Name with signature of Licensed Contractor :

LIC No.

  
S. Langsteh  
Electrical Contractor  
Regd. No : 652

Full Name with signature of supervisor (with date)

  
D. RYMBAL  
Electrical Supervisor  
Govt. Regd. No - 1593

Full Name with signature of wireman (with date).

PERMIT NO.

  
W. Ryntathiang  
Electrical Wireman  
Regd. No. 4770

Signature of the authorized official who tested the installation of behalf of supplier.

Date of connection of supply to the installation

If Contd.  
Please  
Person  
Age

# OFFICE OF THE DORBAR SHNONG MAWKHAN



RAID MAWBUH :: MYLLIEM SYIEMSHIP

Pin - 793104

ESTD : 2017

UNDER RULE 10 (3) OF THE ADMINISTRATION OF MYLLIEM SYIEMSHIP RULES 2015 IF THE KHASI HILLS  
AUTONOMOUS DISTRICT (APPOINTMENT AND SUCCESSION OF SYIEM DEPUTY SYIEM ELECTORS AND  
RANGBAH SHNONG OF MYLLIEM SYIEMSHIP ACT, 2007)

Ref No. Asm/25

Dated: Mawkhan

The: 29/10/2025


## NO OBJECTION CERTIFICATE

Ka jingpynshisha ba i kong Saralyne Kylla  
khun jong i kong (K) Milibon Kylla i don ka jing  
lajong ka Mawkhan (Mawlein Mawkhan) ka bym  
pat don light connection. Kunta na ka liang  
jong i, i don jingmut ban apply ia ka light  
connection, Kunta ka Dorbar Shnong Mawkhan  
kan don kano kano ka jingujou ne pynshah  
ia katei ka jingring light jong i.



Rangbah Shnong  
Mawkhan

Raid Mawbuh Mylliem Syiemship  
Ri-Bhoi District



General Secretary Shnong  
Mawkhan

Raid Mawbuh Mylliem Syiemship  
Ri-Bhoi District

Personal

# भारतीय गैर न्यायिक



दस  
रुपये  
₹.10

TEN  
RUPEES  
RS.10

## INDIA NON JUDICIAL

मेघालय MEGHALAYA

DORBAR SHNONG MAWKHAN, RAID MAWBH, MYLLIEM SYIEMSHIP  
KA KOT IA DIE IA THIED JAKA

03AA 996086

Dultr Serial No- 73

Dated : Mawkhan. The : 23/03/2024

Nga ka Richeal Lyngkhai ha shong hasah  
ha Mawlai Nongkwar Shillong da ka jingmynjur lang baroh shi ling shi  
sem naduh mynta ka sngi ka 23/03/2024 hapdeng ka jingkoit jingkhiah bha,  
nga ai siew noh ia ka Jaka/Shi bynta naka Jaka jong nga kaba don ha ha shnong  
**MAWKHAN, RAID MAWBH, MYLLIEMSYIEMSHIP** ha ka dor Rs. 100000 /-  
( Shi lakh ) Tyngka.

Ki pud sawdong jong katei ka jaka ki long kumne:-

- SHATEI : khap ka mala shnong 1 ft + kralin k- phanbuh - 157 ft
- MIHNGI : khap ka burok black topping - 49 ft
- SHATHIE : khap ka mala 1 ft + Bah J. Mawnai - 158 ft
- SEPNGI : khap ka jaka paswet - 44 ft

Ka jingheh (area) jong katei ka jaka ka long 7323 Sq feet/Acre tam lane duna.  
Ia ka pisa nga la ioh dep mynta ka sngi hakhmat ki sakhi satar bad U Rangbah Shnong.

Naduh mynta, katei ka jaka ka la dei ka hok Nongkynti jong phi  
pateng la pateng ha kaba yn ym don  
ba lah ban uxor ei ei halor ka jinglongtraï jong phi ia katei ka jaka. Lada mih kaba kum  
kata kan long halor ka jingbahkhlieh jong nga U/Ka Nongaisiew.

**SAKHI:**

Mr. M. Rance

E. K

Mr. E. Kurbah

**NONGDIE:**

Richeal Lyngkhai

**NONGTHIED:**

S. Kylla  
Saralyne Kylla

S. Kylla

Paingma  
General Secretary Shnong  
Mawkhan  
Raid Mawbuh Mylliem Syiemship  
Ri-Bhoi District

Leiba  
Talaboriang Mawbuh  
Rangbah Shnong  
Mawkhan  
Raid Mawbuh Mylliem Syiemship  
Ri-Bhoi District - 793104



Name SARALYNE KYLLA

Husband's Name LAMBOR SUTING

SEX Female

DATE OF BIRTH/AGE : 10/07/1976

ADDRESS:

HNo.593, NONGNENG A,  
VILL-MAWIONG,  
DIST-EAST KHASI HILLS-793016

Date:20-1-2016 Electoral Registration Officer

Assembly Constituency No & Name

15 - MAWLAI

Part No and Name

43 - MAWIONG (M) JAPUNG B

नोट / Note :  
1. यह कार्ड केवल पहचान के लिए है और यह किसी भी प्रकार का मतदान का प्रमाण नहीं है।  
2. इस कार्ड के अस्तित्व का मतदान के लिए कोई भी प्रमाण नहीं है।  
3. इस कार्ड में उल्लिखित तिथि का मतदान के लिए कोई भी प्रमाण नहीं है।  
Date of Birth mentioned in this card shall not be treated as a proof of age/D.O.B. for any purpose other than registration in electoral roll.

