

paid
18/11/25

Account Details

Sub-Division **UNIAM SUBDIVISION**
 Consumer Id **2232000131**
 MR Code **2232003**
 Consumer Name **TREASURE SYIEM LIEH**
 Address **KONGS DER BLOCK 4**
 Category **DLT**
 C.Demand/Load **2KV**
 Meter No. **11121513**
 OMF(Cons) **1**
 VAN No. **MEPDC/2232000131**

Billing Details

Prev. Reading Date **15/10/2025**
 Curr. Reading Date **14/11/2025**
 No. of Days **30**
 Bill Number **223200325B140912**
 Bill Status **OK(Normal)**
 Prev KWH **353.0**
 Current KWH **447.0**
 Billed Unit **94.0**
 Recorded MD **0**
 Power Factor **0**
 Average

Bill Charges

Fixed Charges (Unit, Rate, Amount)
 2.0 KW **174.19**
 Energy Charges (Unit, Rate, Amount)
 94.0 **5.0** **470.00**
 ED Amount (Unit, Rate, Amount)
 94.0 **0.05** **4.70**
 FPPAS **-23.96**
 (SEP 25 TO SEP 25 : -23.960)
 DPC **5.01**
 Current Bill Amt **629.94**
 Prev Outstanding **504.81**
 Adjustment **0.00**
 Gross Bill Amount **1134.75**

Net Bill Amount **₹ 1135.00**
 Due Date **27/11/2025**
 Last Payment Date **19/09/2025**
 Last Payment Amount **1970**

Serial Number: SS18241453

Customer: M/S MAMTA ELECTRICALS

Customer P.O Number: Mamta/SML/25-26/01

Customer P.O Date: 02-APR-2025

Voltage: 240V

Current: 05-30A

Accuracy Class: 1.0

Ref. Standard: IS : 13779

Meter Constant: 6400

1. AC VOLTAGE TEST: PASS
2. TEST OF NO LOAD CONDITION: PASS
3. TEST OF STARTING CURRENT: PASS
4. INSULATION TEST: PASS
5. METER ACCURACY:-


Reference Conditions: $V_{ref} = 240V/50Hz$ $I_b = 05-30A$ Amb. Temp = 27 +/- 2 Deg. C**METER ACCURACY****% Active Import Errors**

Load % I_b	0.5 Lag	0.8 Lead	UPF
600	0.2	0.0	0.0
100	0.0	0.0	0.0
10	0.0	0.0	0.0
5			0.0

00001.0

TEST DATE: 14-08-2025

This is computer generated test report no signature required


Meter Tester Gr. I
MTI Laboratory
MePDCL, Lumjingshal
Shillong


Executive Engineer
MTI Division
MeFDCL Shillong

OFFICE OF THE
RANGBAH SHNONG NONGSDER

RAID MAWBUH, MYLLIEM SYIEMSHIP
P.O. UMIAM-799109
Ri Bhoi District (Meghalaya)

Under Rule 10(3) of the Administration of Mylliem Syiemship rule, 2015 of the Khasi Autonomous District
Appointment and Succession of Syiem, Deputy Syiem, Electors and Rangbah Shnong of Mylliem Syiemship) act (2017

Ref. No. :



KA DULIR KHYNDEW (SALE DEED)

Ma nga U/Ka Virginia Kharkongor Ba shong

ba sah ha Nongthymmai, Shillong, East Khasi Hills.

hapteng ka jingkoit jingkhiah bad ka jingtipbriew bha, nga la die duh noh ia ka shilyngkhot ka
jaka jong nga kaba don ha Nongsder Block - 6 - Raid Mawbuh, Ri Bhoi

District ha phi I Kong / Bah Dr Treasure Green Syiemlieh

ba shong ba sah ha Qualapaty, Shillong, East Khasi Hills tang ha

ka dor ₹ 20,04000 (INR) Arphew lak Saw hajar tyngka only.

Ki pud Sawdong jong katei ka jaka ki long kumne harum:-

MIHNGI (EAST) : Jaka I Dr P Chyne : 126 ft.

SEPNGI (WEST) : Jaka I Bah B Marbanrang : 100 ft.

SHATEI (NORTH) : Synti shnong : 104 ft.

SHATHIE (SOUTH) : Jaka I kong S Syndem : 59 ft.

Ka jingheh kyllum jong ka jaka: 9,209 Sq ft. (approx)

Ia ka pisa baroh, katkum katei ka dor nga U/Ka nongdie, nga la ioh lut mynta ka sngi

kaba dated: 13-01-25 kumta naduh kane ka sngi, katei ka jaka katkum kitei ki pud

sawdong, kan long noh ka hok longtraï jong phi U/ Ka nongthied bad nga lane kino kino kiwei

pat, ngim lah shuh ban dawa halor jong ka. Hynrei lada don kano kano ka jingujor pyrshah ia

phi, nga hi ngan bah khlieh nadong shadong.

Kum ka dak ka jingaiti ia katei ka jaka ha phi nga soi hangne hakhmat u Rangbah Shnong

bad ki riew rangbah jong ka shnong kum ki sakhi.

Byembei
Nongthied


Vikhat Kongor
Nongdie


RECOMMENDED

Ki sakhi:

Bah S Marwein

भारत निर्वाचन आयोग
 ELECTION COMMISSION OF INDIA
 भारतमा फोटो पहचान पत्र - ELECTION PHOTO IDENTITY CARD


 BPH0556639



EPIC
 Name : **TREASURE SYIEMLIEH**
 Husband's Name : **S. LYNGDOH**

SEX **Female**
 DATE OF BIRTH/AGE **26/02/1968**
 ADDRESS
**House No. 004, DALAPATTE
 DIST-EAST KHASI HILLS-791002**

Date: 18-12-2018 **Charter Registration Office**
 Assembly Constituency No & Name
15 - WEST SHILONG

Poll No and Name
4 - DALAPATTE B

I hereby declare that the information furnished above is true and correct to the best of my knowledge and belief. I understand that any false information furnished may be treated as an offence under the provisions of the law. I am aware that the information furnished may be used for the purpose of the election process.

II. Type of wiring *PVC Casing Pipe*

III. Voltage and system of supply *220 V*

IV. Test Result *O/K*

Date of testing by licensed contractor

1	4	0	1	2	0	2	6
---	---	---	---	---	---	---	---

Type of test	Result of test carried out by licensed contractor (in MΩ) / Ω	Result of test carried out by the supplier under relevant Cea regulations, (in MΩ) / Ω
(a) Insulation resistance between earth and whole system of conductor.	<i>100 M</i>	
(b) Insulation resistance between all conductors	<i>120 M</i>	
(c) Earth continuity between earth electrode and earth continuity conductor	<i>3 M</i>	
(d) Polarity of non-linked SP switches	<i>AN - 220 V</i> <i>AN - 0 V</i>	

V. Full name with signature of licensed contractor (with date)

LIC No.

Mobile No.

VI. Full name with signature of supervisor (with date)

LIC No.

Mobile No.

VII. Full name with signature of wireman (with date)

LIC No.

Mobile No.

VIII. Signature of the authorized official who

tested the installation on behalf of supplier (with date)

Mobile No.

IX. Date of connection of supply to the installation

M. R. D. Electrical
Electrical Contractor
Lic. No: 381

M. R. D. Dohdong
Electrical Supervisor
Regd. No: 459

Mr. R. Dohdong
Electric Wireman
Regn No: 2126

Meghalaya Power Distribution Corporation Limited

Test Report

This is to certify that repaired/renewed/additional/new electric installation at the premises of

Full name

TREASURE - SYIEM LIEH

(Please leave one block between name & surname)

Address

NONGSDER - BLOCK - 4

1. The load has been arranged as follows:

Details of load	Wattage of each item	Phase I		Phase II		Phase III		Total wattage of all 3 phases
		No. of points	Total wattage	No. of points	Total wattage	No. of points	Total wattage	
1. Light points	60W	4	240					
(i) Fluorescent								
(ii) Incandescent								
(iii) CFL LED	9W	10	90W					
(iv) Halogen								
(v) Others								
2. Fan points								
3. Plug points (3-Pin)								
(i) 6 Amps	100W	5	500W					
(ii) 16 Amps	1000W	1	1000W					
4. Electrical gadgets								
(i) Water Heater (Geyser)								
(ii) Refrigerator								
(iii) AC								
(iv) Others								
5. Welding transformer								
6. Motor								
Total								
In case of load enhancement existing load (in watts)								
Total load in the premises (in watts)			1830W					

Notes:

- (a) Details of any apparatus (other than the above mentioned) should be given.
- (b) Rating of capacitor used in induction Motor and welding Transformer (Test report of capacitor is to be enclosed)

KVAR

Provided that on the part of the MePDCL notice shall be given to the consumer stating the reasons for the proposed termination and giving him opportunity to state his case and his statement, if any duly considered before the agreement is terminated and the supply of electricity cut off;

(7) The terms and conditions of this agreement shall be effective from the date of supply of electricity is commenced.

IN WITNESS WHEREOF the parties hereto have set their hands and seals the date, month and year first above written.

T. Srinivasulu
Consumer

For and behalf of MePDCL.

Witness:

1. Signature:

Name:

Address:

2. Signature:

Name:

Address:

Agreement for supply of electricity Low Tension

An agreement made this the 29th day of Jan of 2026 between Theobius Syiemkhal and his successor and assigns (hereinafter referred to as the consumer) of the one part and the Meghalaya Power Distribution Corporation Limited an electricity distribution licensee under the EA, 2003 and its successors and assigns (hereinafter referred to as the Distribution Utility / MePDCL) of the other part.

Note: the term 'consumer' includes an individual person (whether male or female), a body of persons, a company, society, firm, association or organisation.

Whereas, the consumer has applied to the distribution utility for supply of electricity to the premises and the distribution utility has agreed to give the supply under the terms and conditions hereinafter appearing;

Now, therefore, the agreement witness -

- (1) That the supply shall be given to the premises located at Nongelder ^{Block 4} with the consumer as owner / occupier of;
- (2) That the supply shall be for the purpose of DLT
The load whereof shall not exceed 2kw watts
- (3) That the provisions of the EA 2003 and the regulations, code and orders including tariff orders, as may be made from time to time by the MSERC shall apply and bind the consumers and the distribution utility alike;
- (4) That the consumer shall regularly and timely pay to MePDCL all charges as may be due for the supply of electricity;
- (5) That the agreement shall be a period of two years and may be renewed for a further period;
Provided that supply shall not be terminated by mere efflux of time if the consumer is willing that the agreement is renewed;
- (6) That the agreement shall be terminated if he consumer on its part desires it so and gives to the MePDCL a prior notice of not less than one month or, on the part of the MePDCL, if the consumer has violated any of the terms and conditions of the agreement.

NEW CONSUMER APPLICATION FORM

If Consumer Apply for Sub-Meter/ Additional Connection
(Please tick on the check box)

Paste
Photo
Here

Personal Details

*Application No _____
*Consumer Name - Treasure: syiemlieh:
*Father's Name / husband Name Slyng deh:
*Mobile No 9089315935: Email - _____
Aadhaar / EPIC No. - BPH0556639:

Address Details

*Accommodation - Own / Rented (Pl. tick one)
*Discom - Meghalaya Power Distribution Corporation
*Zone - Eastern Zone *Circle - Ribhoi Circle *Division- Umiam Division
*Sub-Division - umiam distribution: Subdivision:
*Village Name - Nongsder block4:
*State - Meghalaya *City - Ribhoi (Nongpoh)
*Area Pin code - 793103 Locality _____
*Full Address - Nongsder block4:

New Connection Details

*Consumer Type : SG / CG / NG (Pl. tick one) *Urban/Rural Type: Rural / Urban (Pl. tick one)
*Activity _____
*Contract Load Unit - KW / KVA (Pl. tick one) *Contract Load: 2 KW:
*Category - DLT *Product Type: LT / HT (Pl. tick one)
*Scheme - All Categories excluding industrial / industrial / Free Scheme / Saubhagya/ DDUGJY (Pl. tick one)

Other Details

*Meter Number - SS18241453: *Initial KWH- 1 *Initial KVAH - 1
*Meter MF - _____ Meter Owned - Utility / Consumer (Pl. tick one)
*Phase - 1 Phase / 3 Phase (Pl. tick one) *TMC - Yes / No (Pl. tick one)
Meter Reader - _____ Group No. - _____

List of Documents to be attach:

- > *Test Report
- > *Ownership Proof
- > *Identity Proof
- > *Meter Test Report
- > Landlord NOC
- > Agreement Fill
- > Pollution Control Board

All fields mark with * are mandatory

Date of Connection: _____

(1544)

**APPLICATION FORM FOR PROVIDING LT. SERVICE CONNECTION
(FOR ALL CATEGORY AND FOR ALL PURPOSE)**

To,

sub-meter

Transformer : 100 KVA
Distance :- 15 mtr
Sig of Am: Balaboo

The Area Manager/Asstt. Executive Engineer
Service Connection Sub-Division/..... Distribution Sub-Division
MeECL _____

(Indicate the local area of the jurisdiction of the Engineer of the licensee)

Sir,

1. I/We hereby request you to supply electricity to the premises located at the address more fully described below. I/We are the owner/lawful occupier of the premises.
2. I/We agree to abide by the terms and condition relating to the supply of electricity by MeECL and to make all payments as may be required and also to pay regularly all charges as may become due.
3. a) Full name and address of the applicant with contact telephone number

Smith - Treasure Syiemlich

- b) Status in relation to the premises
- | | |
|----------|-------------------------------------|
| Owner | <input checked="" type="checkbox"/> |
| Occupier | <input type="checkbox"/> |
- Nongsder Block 4

- c) Location and address of the premises including Police Station.

Umlam P/S

- d) Nature of LT. supply :
- | | | | |
|-------------|--------------------------|-----------------|-------------------------------------|
| Comercial | <input type="checkbox"/> | Domestic | <input checked="" type="checkbox"/> |
| Industrial | <input type="checkbox"/> | General Purpose | <input type="checkbox"/> |
| WSLT | <input type="checkbox"/> | PL | <input type="checkbox"/> |
| Agriculture | <input type="checkbox"/> | KJ | <input type="checkbox"/> |

load sanction: DIT:
15 meter 100 KVA.
brom: Nongsder Block 4

Date:

Junior Engineer (EL)
Umlam Dist. Sub-Division
MePDCL, Umlam

T Syiemlich
Applicant's Signature

NB: The following documents are to be enclosed :

- 1) Test Report from Licensed contractor.
- 2) Agreement Form duly filled in.
- 3) Proof of ownership (in case applicant is owner).
- 4) Number of nearest Electric Pole.
- 5) NOC of the owner of the premises (in case the application is an occupier).
- 6) Attested copy of permission obtained from Pollution Control Board
- 7) Building permission from the concerned authority.