

2674

NEW CONSUMER APPLICATION FORM

☐ If Consumer Apply for Sub-Meter/ Additional Connection
(Please tick on the check box)

Personal Details

*Application No

*Consumer Name

Husband's name

*Mobile No

*Aadhaar / EPIC No.



Pdianghum Rymbrai

E. Jyana

9863520638

7641823505

DHJ0676221

Address Details

*Accommodation

*Discom

*Zone

*Sub-Division

*Village Name

*State

*Area Pin code

*Full Address

Own / Rented (Pl. tick one)

Meghalaya Power Distribution Corporation

Eastern Zone *Circle - Ribhoi Circle *Division- Umiam Division

Umiam Rural Distribution Sub-Division

Lumdaithkhla

Meghalaya *City - Ribhoi (Nongpoh)

793103 Locality Lumdaithkhla

Lumdaithkhla

New Connection Details

*Consumer Type: SG / CG / NG (Pl. tick one)

*Urban/Rural Type: Rural / Urban (Pl. tick one)

*Activity

Shop

*Contract Load Unit

KW / KVA (Pl. tick one) *Contract Load: 2KW

*Category

Commercial *Product Type: LT / HT (Pl. tick one)

*Scheme

All Categories excluding industrial / Industrial / Free Scheme /

Saubhagya/ DDUGJY (Pl. tick one)

Other Details

*Meter Number

*Initial KWH-

*Initial KVAH-

*Meter MF

Meter Owned - Utility / Consumer (Pl. tick one)

*Phase

1 Phase / 3 Phase (Pl. tick one) *TMC - Yes / No (Pl. tick one)

Meter Reader

Group No. -

List of Documents to be attach:

- *Test Report
- *Ownership Proof
- *Identity Proof
- *Meter Test Report
- Landlord NOC
- Agreement Fill
- Pollution Control Board

All fields mark with * are mandatory

Date of Connection: _____

15. V. A. 0.8

The Area Manager/Asstt. Executive Engineer
Service Connection Sub-Division/ M.P.D.S.D. Distribution Sub-Division
MeECD URD&D
(Indicate the local area of the jurisdiction of the Engineer of the licensee)

1. I/We hereby request you to supply electricity to the premises located at the address more fully described below. I/We are the owner/lawful occupier of the premises.
2. I/We agree to abide by the terms and condition relating to the supply of electricity by MeTEL and to make all payments as may be required and also to pay regularly all charges as may become due.

Pelicanus Rymbae

9263520638

7641822505

Owner	☒
-------	-------------------------------------

c) Location and address of the premises including Police Station.

Lumelailkha (Soh Raman)

d) Nature of LT. supply :	Commercial	☒	Domestic	☐
	Industrial	☐	General Purpose	☐
	WSLT	☐	PL	☐
	Agriculture	☐	KJ	☐

Sanction from

(with 2 lines) 63 kVA etc

2KW Load Sanction from
Lundathkula (Madan Gokhman) (

WSLT ☐ PL
Agriculture ☐ K

Junior Engineer
Distribution Sub-Division
MePDCL, Umiam

Date:

P. R Smbai
Applicant's Signature

NB: The following documents are to be enclosed :

- 1) Test Report from Licensed contractor.
- 2) Agreement Form duly filled in.
- 3) Proof of ownership (In case applicant is owner).
- 4) Number of nearest Electric Pole.
- 5) *NOC of the owner of the premises (In case the application is an occupier).
- 6) Attested copy of permission obtained from Pollution Control Board
- 7) Building permission from the concerned authority.

MEGHALAYA POWER DISTRIBUTION CORPORATION LIMITED.

TEST REPORT

25 Miter

Ryntathion
14/02/25

This is to certify that repaired/renewed/additional/new electric installation at the premises of :-
Full name :-

P D I A N G H U N R Y M B A I

(Address)

(Please leave one block between name and surname)

L U M D A I T K H L A (M A D A N S C H R A M A N

Is duly completed tested and ready for your Engineer to test and connect on your main line.
1- The Load has been arranged as follows :

Details of Load	Wattage Of each items	Phase-1		Phase-2		Phase-3		Total Watt of all 3 phase
		No of Pts	Total	No of Pts	Total	No of Pts	Total	
1. LIGHT POINTS								
(i) Fluorescent	100watt	3	300					
(ii) Incandescent								
(iii) CFL								
(iv) Halogen								
(v) Others								
2. FAN POINTS								
3. PLUG POINTS 3PIN								
(i) 6 Amps	100watt	2	200					
(ii) 16 Amps	1000watt	1	1000					
4. ELECTRICAL GADGETS								
(i) Water heater								
(ii) Refrigerator								
(iii) Others								
5. WELDING TRANSFORMER								
6. MOTOR								
TOTAL LOAD			1500					
Incase if Load enhancement existing load (in watts)								
Total Load in the premises			2 KW					

Note :

(a) A details of any apparatus (Other than the above mention) should be given

(b) Rating of Capacitor used in Induction Motor and Welding transformer (Test report of Capacitor is to be enclosed)

KVAR

II. Type of Wiring : Cableway capping

III. Voltage and System of Supply : 330 V AC

IV. Test Result :-

Date of testing by licensed contractor :

Date	Month	Year

Type of Test	Result of Test carried out by Licensed Contractor (In MΩ) Ω	Result of Test carried out by the Supplier under relevant I.E. Rule (In MΩ) Ω
a. Insulation resistance between earth and whole system of conductor	107 MΩ	
b. Insulation resistance between all conductor	104 MΩ	
c. Earth continuity between earth electrode and earth continuity conductor	04 MΩ	
d. Polarity of non-linked SP switches	0 MΩ	

V. Full name with signature of Licensed Contractor :

LIC No :

VI. Full name with signature of supervisor : (with date)

LIC No :

VII. Full name with signature of wireman :

Permit No. :

For Office used only

VIII. Signature of the Authorised Official who tested the installation behalf of supplier

Signature

IX. Date of Connection of supply to the installation :

25
miton

AGREEMENT FOR SUPPLY OF ELECTRICITY
LOW TENSION

AN AGREEMENT made this the day of 20.....

between and his successors and assigns (hereinafter referred to as the Consumer) of the One Part and the Meghalaya Energy Corporation Ltd. an electricity distribution licensee under the Electricity Act, 2003 and its successors and assigns (hereinafter referred to as MeECL) of the Other Part.

Note : The term 'consumer' includes an individual person (whether male or female), a body of persons, a company, society, firm, association or organisation.

WHEREAS, the consumer has applied to the MeECL for supply of electricity to its premises and the MeECL has agreed to give the supply under the terms and conditions hereinafter appearing.


NOW, THEREFORE, the agreement witnesses -

1. That the supply shall be given to the premises located at.....
with the consumer as owner/occupier of.....
Lumdaikhele Madansoh ram
2. That the supply shall be for the purpose of
the load whereof shall not exceed..... watt(s).
CLT
2000
3. That the provisions of the Electricity Act, 2003 and the Regulations, Code and Orders, including Tariff Orders, as may be made from time to time by the Meghalaya State Electricity Regulatory Commission shall apply and bind the consumer and the MeECL alike.
4. That the consumer shall regularly and timely pay to the MeECL all charges and may be due for the supply of electricity.
5. That the Agreement shall be a period of two years and may be renewed for a further period:
Provided that supply shall not be terminated by mere efflux of time if the consumer is willing that the agreement is renewed.
6. That the Agreement shall be terminated if the consumer on its part desires it so and gives to the MeECL a prior notice of not less than one month or, on the part of the MeECL, if the consumer has violated any of the terms and conditions of the agreement.

Trai jaka ba ker sawdong:-


Secretary Shnong


S. Larmose


Shri ST Rympe
Rangit Shnong
Shrimambang

Provided that on the part of the MeECL notice shall be given to the consumer stating the reasons for the proposed termination and giving him opportunity to state his case and his statement, if any, duly considered before the agreement is terminated and the supply of electricity cut off.

7. That the terms and conditions of this Agreement shall be effective from the date supply of electricity is commenced

IN WITNESS WHEREOF the parties hereto have set their hands and seals the day of _____ month and year first above written.

(P. Rymbai)

The Consumer

For and on behalf of the MeECL

Witnesses :-

1. Signature :

Name :

Address :

1. Signature :

Name :

Address :

1. Supply of
2. 2000



Form No. [Number]

1. Nama: [Name]

2. No. [Number]

3. Alamat: [Address]

4. Tarikh: [Date]

5. [Other fields]

6. [Other fields]

7. [Other fields]

8. [Other fields]

9. [Other fields]

10. [Other fields]

[Signature]
Secretary Shong
Lundakalia, Bhoilymbong
Mythom Syamshap
Secretatphhong
Bhoilymbong

Trai jaka ba ker sandang:
[Signature]
CAUSA
Bhoilymbong

[Signature]
Dns. P. Dns.
Bhoilymbong
Lundakalia Bhoilymbong

SEND TO: NAME: MYLLIEW SYIEWSHIP

MEGALOMANIA

Paul Bonville

The ~~FR~~ ^{FR} March 2025

Department of Agriculture and Forestry, Ministry of Natural Resources and Environmental Conservation, Myanmar. *Journal of the Myanmar Botanical Society*, 2007, 31(1): 1-10.

156

Pilanthus Asper 5/8 Late Rainfall
in zone of rainfallless dryness
Middle Elevation of East District.

Wawancara 07-08-2021 ms U Ké jant san kyrteng harum nge wan ban die duh ia ka

Iskandari dari Samudra Hindia dan Sriwijaya yang datang ke Lumadaitkhia.

~~Burung-burung~~ ~~Sungguh~~ ~~Pada~~ ~~Malam~~ ~~Mengikuti~~ ~~Syukuran~~. ~~Ri~~ ~~Ehri~~ ~~Ditiran~~ ~~nga~~ ~~la~~ ~~die~~ ~~ha~~ ~~pini~~ U / Ka ba don

For training, training fee and other charges may be in next form. Rs. 2000 (Rupees) 5000 paise

[illegible]

untuk anda semua. In sha Allah. Dan semoga yang datang ke Jaka ini long kumne harum:-

WINTER: 1971-72 in Madagascar to Slovak Shandong

Selatan = ke arah laut ke jawa ke Ambris Rumbai

1. 1. Hing
 2. 2. Hing
 3. 3. Hing
 4. 4. Hing
 5. 5. Hing
 6. 6. Hing
 7. 7. Hing
 8. 8. Hing
 9. 9. Hing
 10. 10. Hing
 11. 11. Hing
 12. 12. Hing
 13. 13. Hing
 14. 14. Hing
 15. 15. Hing
 16. 16. Hing
 17. 17. Hing
 18. 18. Hing
 19. 19. Hing
 20. 20. Hing
 21. 21. Hing
 22. 22. Hing
 23. 23. Hing
 24. 24. Hing
 25. 25. Hing
 26. 26. Hing
 27. 27. Hing
 28. 28. Hing
 29. 29. Hing
 30. 30. Hing
 31. 31. Hing
 32. 32. Hing
 33. 33. Hing
 34. 34. Hing
 35. 35. Hing
 36. 36. Hing
 37. 37. Hing
 38. 38. Hing
 39. 39. Hing
 40. 40. Hing
 41. 41. Hing
 42. 42. Hing
 43. 43. Hing
 44. 44. Hing
 45. 45. Hing
 46. 46. Hing
 47. 47. Hing
 48. 48. Hing
 49. 49. Hing
 50. 50. Hing
 51. 51. Hing
 52. 52. Hing
 53. 53. Hing
 54. 54. Hing
 55. 55. Hing
 56. 56. Hing
 57. 57. Hing
 58. 58. Hing
 59. 59. Hing
 60. 60. Hing
 61. 61. Hing
 62. 62. Hing
 63. 63. Hing
 64. 64. Hing
 65. 65. Hing
 66. 66. Hing
 67. 67. Hing
 68. 68. Hing
 69. 69. Hing
 70. 70. Hing
 71. 71. Hing
 72. 72. Hing
 73. 73. Hing
 74. 74. Hing
 75. 75. Hing
 76. 76. Hing
 77. 77. Hing
 78. 78. Hing
 79. 79. Hing
 80. 80. Hing
 81. 81. Hing
 82. 82. Hing
 83. 83. Hing
 84. 84. Hing
 85. 85. Hing
 86. 86. Hing
 87. 87. Hing
 88. 88. Hing
 89. 89. Hing
 90. 90. Hing
 91. 91. Hing
 92. 92. Hing
 93. 93. Hing
 94. 94. Hing
 95. 95. Hing
 96. 96. Hing
 97. 97. Hing
 98. 98. Hing
 99. 99. Hing
 100. 100. Hing

SEATTLE SOUTH 100 to 101 in Lake East La. by the Zhang

~~UNCLASSIFIED~~

INGHERINTO 7655 Safis tam lane duna.

Karna nadin myna ka ngi tade lantid ma phi. Ka ba don kymeng haneng phi la long Ka. U trai
 la kaba ka jaba ka kaba phi. an. an. si ha ki nongion pareng ki long phi. lane die bch kaba phi mon. hynrei
 ka ba ba phi la ngi la kaba ka long ngi. Ka nongdie.

La pynter a cane ka jinglatie lathier hapdeng ka jinglatie lang bad hapdeng kamet kaba koit bha, jinglatie ka jinglatiemang ka pynter ki ban, ki sakhi satar lem a Nongrich, bad ki Trai jaka kiba ker sawing a cane ka jake kiba pynteriem bad pynteriska ba ka lang kaba bet bad in hunlang.

- (1) Phum bot ban pyntakum la ki sirok na lyon shnong.
 (2) Phn bot ban win la tala na mang na ki put jong phi.
 (3) Phum bot ban kheng la ki Pige line kar tim na post electric
 (4) Phn bot ban bumar a i put i tam i jong phi katkum ki jingthaw.
 (5) Kase phi tie na transfer mawen phi bot ban pyang ma ki bar pyntaid shnong.
 (6) Kase la ki byn post rung shnong phim lan ban sira ling sira sem. katha phim pat rung shnong.
- S. Lyswa.

Wendell S. Murray

5435

S. T. 100.
Nongdié duh:

Nongdié duh:
(Ka Siaridinora Tywa)

E. S. G. v. d. G.
Tentamen in het wettelijke

E. L. Frost

2014
 2015
 2016

Shri ST Rympe
Rangin Shnong
Lumdaikhla Bhoirymbong

Lumdaangkha Bhoirymbong



Dorbar Shnong Lumdaitkhla, Bhoirymbong
SHNAT RAID MAWPAT, MYLLEM SYIEMSHIP
RI BHOI DISTRICT, MEGHALAYA – 793116

From the Executive Committee
Through Headman of Lumdaitkhla
Mylliem Syiemship

Under Rule 10(3) of the Administration of Mylliem Syiemship Rules 2015 of the
Khasi Hills Autonomous District (Appointment and Succession of Syiem, Deputy
Syiem, Electors and Rangbah Shnong Act of Mylliem Syiemship) Act, 2007

Ref. No. _____

Date: 04/03/2025

NO OBJECTION CERTIFICATE

I the undersigned along with the Executive Committee have no
objection to Shri/Smti Pdanghuan Rymbai
son/daughter/wife of Shri/Smti Sara Rymbai
resident of Lumdaitkhla, P.O.
Bhoirymbong, Ri-Bhoi District, to apply for new
connection of electricity at Sahnyngkhon Umsli for
domestic/commercial from the office of the MePDCL.


Shri. S. T. Rympei
Rangbah Shnong
Lumdaitkhla Bhoirymbong

UNITED RURAL
Consumer ID : 1000215378
Number : 500214347852
Name : BALAJI PRASAD RYMER
Address : LIMDAVETKHA, LIMDAVETKHA
Demand/Load : 1.0 KW
Mobile No : 9812034646
Category : DLT
Bill Basis : OK
Meter No : 392189
OMF : 1.0
Prev. Reading Date : 18-Jan-2023
Curr. Reading Date : 06-Mar-2023
Bill Date : 06-Mar-2023 11:43
No. of Days : 46
Prev KWH : 7850.000
Current KWH : 7973.0
Add. KWH : 0.0
Billed Unit : 123.0
Billed Demand : 1.0
Energy Charges : 504.3
Fixed Charge : 92.0
ED Amount : 6.15
FPPA Charges : 0.0
Rebate : 0.0
Meter Rent : 0.0
DPC : 0.0
Current Bill Amt : 602.45
Prev Outstanding : -0.53
Payment Amount : 1014.0
Last Payment Date : 30-Jan-2023
Last Payment Amount : 1014.0
Gross Bill Amount : 601.92
Due Date : 30-Mar-2023
Net Bill Amount : 602.0

Lat : 25.7016788
Long : 92.0158409
MR Code: 100588

This bill will be construed as final notice under
Section 9.2 of MSERC (Electricity Supply Code
Regulations, 2018. Supply of electricity shall be
disconnected at any date, if dues of electricity

नकद पत्र

Sold to

क्रेता

No. क्रमांक

Date

तिथि

07/03/25

QTY. संख्या	PARTICULARS विवरण	RATE दर	AMOUNT ₹	रकम P.
1 No	Meter Box	1000	1000	00
30mtr	PVC wire 6mm	80	2400	00
1 No	Circuit 32 A	250	250	00
1 No	GI Earthing 40 mm	370	370	00
3 Kgs	GI wire 6SWG	100	300	00
3 Mtr	GI pipe 25 mm dia	260	780	00
2 Nos	GI Bend 25 mm dia	40	80	00
3 Nos	GI Socket 25 mm dia	35	105	00
3 Nos	Service clamp (25x5)	24	72	00
Misc (Black tape, Fuse 4 screw)			300	00
(Rupees Five Thousand Six Hundred fifty seven only)				
11	Thank You धन्यवाद! E. & O.E. लि. चूक लेनी देनी	Total जोड़	5657	00



Thank You
E. & O. E.

स-चूक-लेनी-देनी

Total
જોડ

5657 00

Neelgagan

Goods once sold will not be taken back

Signature
हस्ताक्षर

the sold will not be taken back