



3228

# NEW CONSUMER APPLICATION FORM



If Consumer Apply for Sub-Meter/ Additional Connection  
(Please tick on the check box)

### Personal Details

\* Application No. \_\_\_\_\_  
 \* Consumer Name Sonia Merij Masharing  
 \* Father's Name W. Lamare Mother's Name B. Masharing  
 \* Mobile No. 762 893 6745 Email \_\_\_\_\_  
 \* Aestham / EPIC No. PAH 7500374

### Address Details

\* Accommodation Own / Rented (Pl. tick one)  
 \* DiscOm Meghalaya Power Distribution Corporation  
 \* Zone Eastern Zone \* Circle Ribhoi Circle \* Division Umiam Division  
 \* Sub-Division Umiam Rural Distribution Sub-Division  
 \* Village Name Lumscharatan (Tyrso)  
 \* State Meghalaya \* City Ribhoi (Nongpoh)  
 \* Area Pin Code 793116 Locality Lumscharatan (Tyrso)  
 \* Full Address Lumscharatan (Tyrso)

### New Connection Details

\* Consumer Type SG / EG / NG (Pl. tick one) \* Urban/Rural Type Rural / Urban (Pl. tick one)  
 \* Activity Home  
 \* Contract Load Unit KW / KVA (Pl. tick one) \* Contract Load 2 kw  
 \* Category Domestic \* Product Type LT / HT (Pl. tick one)  
 \* Scheme All Categories excluding industrial / Industrial / Free Scheme /  
Saubhagya / DDUGJY (Pl. tick one)

### Other Details

\* Meter Number \_\_\_\_\_ \* Initial KWHT \_\_\_\_\_ \* Initial KVAH \_\_\_\_\_  
 \* Meter Id \_\_\_\_\_ Meter Owned - Utility / Consumer (Pl. tick one)  
 \* Phase 1 Phase / 3 Phase (Pl. tick one) \* TMC - Yes / No (Pl. tick one)  
 \* Meter To-Go \_\_\_\_\_ \* Grid No \_\_\_\_\_

### List of Documents to be attach.

- \* Test Report
- \* Ownership Proof
- \* Identity Proof
- \* Meter Test Report
- \* Land Record
- \* Agreement
- \* Application Form

Date of Connection: \_\_\_\_\_

*Telephone - 25 km  
Distance - 15 m*

# APPLICATION FORM FOR PROVIDING LT. SERVICE CONNECTION (FOR ALL CATEGORY AND FOR ALL PURPOSE) *H72*

To

The Area Manager/Asstt. Executive Engineer  
Service Connection Sub-Division/*Umsabatar* Distribution Sub-Division  
MeECL *Division*

(Indicate the local area of the jurisdiction of the Engineer of the licensee)

Sir,

1. I/We hereby request you to supply electricity to the premises located at the address more fully described below. I/We are the owner/lawful occupier of the premises.
2. I/We agree to abide by the terms and condition relating to the supply of electricity by MeECL and to make all payments as may be required and also to pay regularly all charges as may become due.

3. a) Full name and address of the applicant with contact telephone number  
*Sonia Mary Matharing* *7628956745*

b) Status in relation to the premises: Owner  Occupier

c) Location and address of the premises including Police Station:  
*Umsabatar (Tyrre)*

d) Nature of LT. supply:

|             |                          |                 |                                     |
|-------------|--------------------------|-----------------|-------------------------------------|
| Comercial   | <input type="checkbox"/> | Domestic        | <input checked="" type="checkbox"/> |
| Industrial  | <input type="checkbox"/> | General Purpose | <input type="checkbox"/>            |
| WSLT        | <input type="checkbox"/> | PL              | <input type="checkbox"/>            |
| Agriculture | <input type="checkbox"/> | KJ              | <input type="checkbox"/>            |

*Last location from Umsabatar (Tyrre) 25 km SK*

Date: *1/11/2011*

*S. Matharing*  
Applicant's Signature

*The following documents are to be enclosed:*

- 1) Test Report from Licensed contractor.
- 2) Agreement Form duly filled in.
- 3) Proof of ownership (in case applicant is owner).
- 4) Number of nearest Electric Pole.
- 5) NOC of the owner of the premises (in case the application is an occupier).
- 6) Attested copy of permission obtained from Pollution Control Board
- 7) Building permission from the concerned authority.

## MEGHALAYA POWER DISTRIBUTION CORPORATION LIMITED. TEST REPORT.

This is to Certify that repaired/renewed/additional/new electric installation at the premises of :-

Full name :-

S O N I A M E R Y M A S H A R I N G

(Address)

( Please leave one block between name and surname)

U M S O H M A T A N J Y R S O

Is duly completed tested and ready for your Engineer to test and connect on your main line.

I-.The Load has been arranged as follows :

| Details of Load   | Wattage of each items | Phase - 1  |               | Phase - 2  |       | Phase - 3  |       | Total Watt of all 3 phases |
|---|-----------------------|------------|---------------|------------|-------|------------|-------|----------------------------|
|   |                       | No of Pts. | Total         | No of Pts. | Total | No of Pts. | Total |                            |
| <b>1. LIGHT POINTS</b>                                      |                       |            |               |            |       |            |       |                            |
| (i) Fluorescent   |                       |            |               |            |       |            |       |                            |
| (ii) Incandescent.  |                       |            |               |            |       |            |       |                            |
| (iii) CFL   |                       |            |               |            |       |            |       |                            |
| (iv) Halogen  |                       |            |               |            |       |            |       |                            |
| (v) Others <i>led</i>                                       | 15                    | 8          | 120 W         |            |       |            |       |                            |
| <b>2. FAN POINTS.</b>                                       |                       |            |               |            |       |            |       |                            |
| <b>3. PLUG POINTS 3PIN</b>                                  |                       |            |               |            |       |            |       |                            |
| (i) 6 Amps  |                       |            |               |            |       |            |       |                            |
| (ii) 15 Amp.  | 1000                  | 1          | 1000          |            |       |            |       |                            |
| <b>4. ELECTRICAL GADGETS</b>                                |                       |            |               |            |       |            |       |                            |
| (i). Water heater.  |                       |            |               |            |       |            |       |                            |
| (ii). Refrigerator  |                       |            |               |            |       |            |       |                            |
| (iii) Air conditioner                                       |                       |            |               |            |       |            |       |                            |
| (iv) Others.  |                       |            |               |            |       |            |       |                            |
| <b>5. WELDING TRANSFORMER</b>                               |                       |            |               |            |       |            |       |                            |
| <b>6. MOTOR</b>   |                       |            |               |            |       |            |       |                            |
| <b>TOTAL LOAD</b>   |                       |            | <i>1640 W</i> |            |       |            |       |                            |
| <i>In case of Load enhancement Existing load ( In watt)</i> |                       |            |               |            |       |            |       |                            |
| <i>Total Load in the Premises</i>                           |                       |            | <i>2100</i>   |            |       |            |       |                            |

Note

(a) A details of any apparatus ( Other than the above mentioned) should be given

(b) Rating of Capacitor used in Induction Motor and Welding transformer ( Test report of Capacitor is to be enclosed)



KVAR

II - Type of wiring: Cable Supply

III - Voltage and System of Supply: 230 volt

0744

IV - Test Result: OK

Date of testing by Licensed Contractor:

|   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|
| 9 | 3 | 0 | 3 | 7 | 0 | 7 | 6 |
|---|---|---|---|---|---|---|---|

| Type of Test   | Result of Test carried out by Licensed Contractor on 28/1/03 | Result of Test carried out by the Supplier under reference (S. 2) on 16/1/03 |
|--|--|--|
| a. Insulation resistance between earth and whole system of conductor       | 100 MΩ   |  |
| b. Insulation resistance between all conductors                            | 120 MΩ   |  |
| c. Earth continuity between earth electrode and earth continuity conductor | 0.3 MΩ   |  |
| d. Polarity of non-linked SP switches                                      | ON (PH - 230V)<br>OFF (NE - 0V)                              |  |

V - Full name with signature of Licensed Contractor:

LIC No:

*[Signature]*  
Sri. Krishna Mantri,  
Electrical Contractor  
Regd. No. 1578

VI - Full name with signature of Supervisor: (With date)

LIC No:

VII - Full name with signature of Wireman:

Permit No:



*[Signature]*

*For Office use only*

VIII - Signature of the Authorized official who tested the installation on behalf of supplier

Signature:

IX - Date of Connection of supply to the installation:

AGREEMENT FOR SUPPLY OF ELECTRICITY  
LOW TENSION



- AN AGREEMENT made this the ..... day of ..... 20 .....

between ..... and his successors and assigns (hereinafter referred to as the Consumer) of the One Part and the Meghalaya Energy Corporation Ltd. an electricity distribution licensee under the Electricity Act, 2003 and its successors and assigns (hereinafter referred to as MeECL) of the Other Part.

*Note : The term 'consumer' includes an individual person (whether male or female), a body of persons, a company, society, firm, association or organisation.*

WHEREAS, the consumer has applied to the MeECL for supply of electricity to its premises and the MeECL has agreed to give the supply under the terms and conditions hereinafter appearing.

NOW, THEREFORE, the agreement witnesses -

1. That the supply shall be given to the premises located at Umshmaton (Tylvo) with the consumer as owner/occupier of
2. That the supply shall be for the purpose of DL the load whereof shall not exceed 2000 watt(s).
3. That the provisions of the Electricity Act, 2003 and the Regulations, Code and Orders including Tariff Orders, as may be made from time to time by the Meghalaya State Electricity Regulatory Commission shall apply and bind the consumer and the MeECL alike.
4. That the consumer shall regularly and timely pay to the MeECL all charges and may be due for the supply of electricity.
5. That the Agreement shall be a period of two years and may be renewed for a further period Provided that supply shall not be terminated by mere efflux of time if the consumer is willing that the agreement is renewed.
6. That the Agreement shall be terminated if the consumer on its part desires it so and gives to the MeECL a prior notice of not less than one month or, on the part of the MeECL, if the consumer has violated any of the terms and conditions of the agreement.



ka Bessdia Hachang... ka Shuang...  
Lun dingji Kubon District

ngi ki arang...  
Ki ka kuytang ka Shan Hingai...  
ki ka sheng ha Tyrsa...  
ngi ha kane ka sung...  
dub ha phi ki ka...  
ka khyndow kper...  
ka kper Lun...  
dulir jang ngi...  
ha pot ka Lawadong...  
R/3000 shi deng...  
shitung...  
ka long...  
ka long...

- Mihung - ka kper ka Shan...
- Shi Thi - ka kper ka Shan Hingai...
- Sepngi - ka kper ka Shan Hingai...
- Shale - ka kper ka Shan Hingai...

Sumta ha pot...  
hok manghyuti...  
Kisaw jangphi...  
long had...  
had a kang bah...

Songthoh  
Abel Steir

Saki...  
Shan...

Dated Tyra...  
192-2010

Kob...



# DORBAR SHNONG UMSOHMATAN

SHNAD RAID TYRSO, KHYRIM SYIEMSHIP

RI BHOI DISTRICT, MEGHALAYA-793116

Under Rule 55 of the Khasi Autonomous District [Appointment and Succession of Chief and Headman] Rule, 2015 of the United Khasi  
Lushai Hills Autonomous District [Appointment and Succession of Chief and Headman] Act, 1959.

Ref No \_\_\_\_\_

Date: 30-03-2026

## LAND CERTIFICATE

This is to certify that Shri/ Smt Sonia Mary Masharing  
son/ daughter/Wife/Husband of Shri/ Smt Besilia Masharing is  
a permanent resident of Umsohmatan Village -Khyrim Syiemship, Ri Bhoi District. He/ She owns a plot of land  
at Umsohmatan namely 28 bounded  
as scheduled below:-

NORTH: Bounded by the village road

EAST : Bounded by PWD road

SOUTH: Bounded by the land of Thana Myjai

WEST : Bounded by the land of Thana Myjai

Total Area: 2 acres (more or less)

The above scheduled of the land property, belongs to Sonia Mary Masharing  
and hence the Village Authority has No objection to Register, mortgage etc by the owner, but in case the  
borrower failed to repay any loan borrowed from any financial institution/ Bank, the owner of the land will take  
the responsibility.

P. J. J. J.  
Rangbah Shnong  
Tyrso Umsohmatan  
Ri Bhoi District  
Umsohmatan Village



भारत निर्वाचन आयोग  
ELECTION COMMISSION OF INDIA  
आयताली कोटी पहचान पत्र - Elector Photo Identity Card



IGG7500374



Name: **Sonia Mary Masharing**  
 Father's Name: **William Lamare**  
 Gender: **Female**  
 Date of Birth / Age: **23-07-2000**

*Mother Name - B. Masharing.*



Address: **53, UNSOHMATAN, UNSOHMATAN, RIBHOI, RI-BHOI, MEOHALAYA-793116**



Electoral Registration Officer, 8 MAYNATI  
 Issue Date: 23.08.2022

IGG7500374

UMIAM RURAL DIST SUBDIVISION

| VANNO             | Consumer ID | Bill No        | Billing Period             | Bill Generated Date | Due Date    | Discn |
|-------------------|-------------|----------------|----------------------------|---------------------|-------------|-------|
| ADPXXCL1006208130 | 1000208130  | 20030418120947 | 15-Jun-2026 to 05-Mar-2026 | 05-Mar-2026 12:02   | 26-Mar-2026 | 05    |

Name & Address: Lais Mpas-Umsohmat, Umsohmat  
#3110304900

|                                |           |                     |           |
|--------------------------------|-----------|---------------------|-----------|
| Type                           | LT        | Meter No            | 29        |
| Category                       | DLT       | Bill Type           | OK (Dis)  |
| Sanction Load (KW)             | 1         | Sanction Load (KVA) |           |
| Connection Type                | NG        | Connection Status   | D         |
| Service Type                   | Post Paid | Installation Status | Permanent |
| Connection Location            | RURAL     |                     |           |
| Monthly Average Units          | 115.2     |                     |           |
| Total Tariff Difference Amount | 141.57    |                     |           |
| Disconnected Days              | 44        |                     |           |

Meter Readings for New Meter ID:297761 and Meter Status: OK (Disconnected)

| Description            | Date       | KWH Meter | Kvah Meter | Recorded Demand | Rev |
|------------------------|------------|-----------|------------|-----------------|-----|
| Current Reading        | 05-03-2026 | 4051      | 0          | 0               |     |
| Previous Reading       | 15-01-2026 | 4051      | 0          |                 |     |
| No Of Days             | 49         |           |            |                 |     |
| Difference             |            | 0         | 0          |                 |     |
| Multiplying Factor     |            | 1         | 1          | 0               |     |
| Consumption            |            | 0         | 0          |                 |     |
| Additional Units       |            | 0         | 0          |                 |     |
| Meter Charge Units     |            | 0         | 0          |                 |     |
| Violation Energy Units |            | 0         | 0          |                 |     |
| Net Consumption        |            | 0         | 0          | 0               |     |

| Your Detailed Bill  | Amount (Rs.)                                  |
|---|---|
| <b>Description</b>  |   |
| EPPAS   | 0   |
| Current Bill Amount   | .00   |
| Tariff Diff. Amount:(4/9 Inst.)                                 | 15.73   |
| OTS Inst. Amount:(1/10 Inst.)                                   | 3443.57                                       |
| OTS Application Fee   | 500   |
| Gross Bill Amount   | 3,959.30                                      |
| Net Bill Amount   | 3,960.00                                      |
| <b>AMOUNT IN WORDS</b>  | Three Thousand Nine Hundred Sixty Rupees only |
| Due Date  | 26-03-2026                                    |
| <b>Last Payment Details</b>                                     |   |
| Last Payment Date   | 05-03-2026                                    |
| Last Payment Amount   | 10,000.00                                     |
| Sd/-<br>Asst Executive Engineer<br>UMIAM RURAL DIST SUBDIVISION |   |

Save Energy for the Benefit of Self and Nation

This Bill will be Construed as final notice under Section 9.2 of MSERC (Electricity Supply Code) Regulations, 2018. Supply of Electricity shall be disc date, if dues of Electricity bill is not paid within 15 (fifteen) days (notice period) after due date of the bill. Thanks for paying. We really appreciate your cooperation.

The current bill includes the new tariff difference amount as per the MSERC-approved Distribution Tariff for 2024-25, to be collected in nine equal installments. For any queries, please contact the AEEs of the respective sub-divisions.

क्रमांक

# Cash Memo

## नकद पत्र

Sold to \_\_\_\_\_  
क्रमांक \_\_\_\_\_

No. क्रमांक \_\_\_\_\_ Date तिथि 23/03/26

| QTY.<br>संख्या | PARTICULARS<br>विवरण | RATE<br>दर | AMOUNT<br>र | रकम<br>P. |
|----------------|----------------------|------------|-------------|-----------|
| 1 No           | Meter Box            | 1000       | 1000        | 00        |
| 30mtr          | Pvc wire 6mm         | 50         | 1500        | 00        |
| 1 No           | Cut out 32 Amp       | 250        | 250         | 00        |
| 1 No           | G.I Earthing         | 370        | 370         | 00        |
| 3kg            | G.I wire 6mm         | 100        | 300         | 00        |
| 3mtr           | G.I pipe 25mm        | 260        | 780         | 00        |
| 2 no           | G.I Band             | 40         | 80          | 00        |
| 3 no           | G.I Sacket           | 35         | 105         | 00        |
| 3 no           | Service clamp        | 24         | 72          | 00        |
|                | (Mer Black + tape)   |            | 300         |           |



Thank You धन्यवाद!  
E & CE (सं-दुक लेनी देनी)

Total  
जोड़ 46757.00

Signature  
हस्ताक्षर

Lic. No : 381

# DORBAR SHNONG UMSOHMATAN

SHNAD RAID TYRSO, KHYRIM SYIEMSHIP

RI BHOI DISTRICT, MEGHALAYA- 793116


Under Rule 53 of the Khasi Autonomous District [Appointment and Succession of Chief and Headman] Rules, 1915 of the Assam Khasi Autonomous District [Appointment and Succession of Chief and Headman] Act, 1919.

Date: 30-01-2026

## No Objection Certificate

Da kane nga a Rangbah Shnong Umsohmatan nga pynshisha ba 1 Bah/  
Kong Sonia Mary Masharing Lok / Khun jong 1 Bah/Kong  
Besilia Masharing bashong bash ba Umsohmatan ba 1 donkam ban tan  
light na a Electricity Pole (New Connection) sha ka jong jong L. Te kamta ngam don kano kano ka jingjar ne  
pyrshah halar kane ka jingthmu jong 1 ban tan ia kane ka Light.

Nga pynshisha ia kane da kaba nga sar iaka mahor harum.

  
Rangbah Shnong  
Khasi Autonomous District  
Ri Bhoi District  
Umsohmatan