

2830

## NEW CONSUMER APPLICATION FORM



☐ If Consumer Apply for Sub-Meter/ Additional Connection  
(Please tick on the check box)

## Personal Details

\* Application No

\* Consumer Name

Mother's /  
Father's Name

\* Mobile No

Aadhaar / EPIC No.

Herman Rynjah

E. Rynjah

8787578702

Email

JCC0527135

## Address Details

\* Accommodation

Own / Rented (Pl. tick one)

\* Discom

Meghalaya Power Distribution Corporation

\* Zone

Eastern Zone \* Circle - Ribhoi Circle \* Division - Umiam Division

\* Sub-Division

Umiam Rural Distribution Sub-Division

\* Village Name

Umdoh Byrthuk

\* State

Meghalaya \* City - Ribhoi (Nongpoh)

\* Area Pin code

793116

Locality

Umdoh Byrthuk

\* Full Address

Umdoh Byrthuk

## New Connection Details

\* Consumer Type: SG / CG / NG (Pl. tick one)

\* Urban/Rural Type: Rural / Urban (Pl. tick one)

\* Activity

Shop

\* Contract Load Unit

KW / KVA (Pl. tick one)

\* Contract Load:

3KW

\* Category

Commercial

\* Product Type: LT / HT (Pl. tick one)

\* Scheme

All Categories excluding industrial / Industrial / Free Scheme /

Saubhagya / DDUGJY (Pl. tick one)

## Other Details

\* Meter Number

\* Initial KWH

\* Initial KVAH

\* Meter MF

Meter Owned - Utility / Consumer (Pl. tick one)

\* Phase

1 Phase / 3 Phase (Pl. tick one)

\* TMC - Yes / No (Pl. tick one)

Meter Reader

Group No.

## List of Documents to be attach:

- \* Test Report
- \* Ownership Proof
- \* Identity Proof
- \* Meter Test Report
- Landlord NOC
- Agreement Fill
- Pollution Control Board

All fields mark with \* are mandatory

Date of Connection:

# SHALAYA ENERGY POWER DISTRIBUTION CORPORATION LIMITED

## APPLICATION FORM FOR PROVIDING SERVICE CONNECTION

### (FOR ALL CATEGORY AND FOR ALL PURPOSE)

The Area Manager / Assistant Executive Engineer

Service Connection Sub Division / Umiam Rural Distribution Sub Division

MePDCL Umiam

(Indicate the local area of the jurisdiction of the Engineer of the Licensee)

Sir,

1. I/We hereby request you to supply electricity to the premises located at the address more fully described below.
2. I/We agree to abide by the terms and conditions relating to the supply of electricity by MePDCL and to make all payments as may be required and also to pay regularly all charges as may become due.
3. (a) Full name and address of the applicant with contact telephone/ Mobile number :

HERMAN RYNJAH

UMDOHBIRTHH

MOBILE NO: 8787578702

(b) Status in relation to the premises

Owner

Occupier

|                                     |
|-------------------------------------|
| <input type="checkbox"/>            |
| <input checked="" type="checkbox"/> |

(c) Full name and address of the premises - Industrial/Police Station

HERMAN RYNJAH

UMDOHBIRTHH, UMIAM POLICE STATION

(d) Nature of LT Supply : Commercial

General Purpose

Agriculture

|                                     |
|-------------------------------------|
| <input checked="" type="checkbox"/> |
| <input type="checkbox"/>            |
| <input type="checkbox"/>            |

Domestic

WSLT

KJ

|                                     |
|-------------------------------------|
| <input checked="" type="checkbox"/> |
| <input type="checkbox"/>            |
| <input type="checkbox"/>            |

Industrial

PL

MePDCL

Employee

|                          |
|--------------------------|
| <input type="checkbox"/> |
| <input type="checkbox"/> |
| <input type="checkbox"/> |

Load Sanction from  
Umdehbyrthh 25KVA S/S

Date : 24/04/2025

11/5/25

[Signature]  
Applicant's Signature

NB : The following documents are to be enclosed

- (1) Test Report from Licensed contractor
- (2) Agreement form duly filled in
- (3) Proof of ownership (in case an applicant is owner)
- (4) Number of nearest Electric Pole ..... Number of nearest Consumer.....
- (5) NOC of the owner of the premises (in case an applicant is an occupier).
- (6) Attested copies of permission obtained from Pollution Control Board (if applicable).
- (7) Building permission from the concerned authority (if applicable)
- (8) Occupancy Certificate from MUDA for areas within Shillong Municipal Limit (if applicable)
- (9) Proof of Identification (any one of the following) :-  
Electoral Identity Card/Passport/Driving Licence/ Ration Card/Photo Identity Card issued by Government agency / PAN Card/Certificate of residence or identity from the Headman/Nokma.Village Levelworker/Primary School Teacher/Incharge of primary health centre.

Junior Engineer (EL)  
Umiam Rural Dist.Sub-Division  
MePDCL, Umiam

[Signature]  
Assistant Executive Engineer  
Investigation & Enforcement Sub-Division  
Rihboh (D) Circle, MePDCL  
Umiam



### Annexure -3

## Agreement for Supply of Electricity Low Tension

An Agreement made this the \_\_\_\_\_ day of \_\_\_\_\_ of 20 \_\_\_\_\_ between \_\_\_\_\_ and his successor and assigns (hereinafter referred to as the consumer) of the one part and the Meghalaya Power Distribution Corporation Limited an electricity distribution licensee under the EA, 2003 and its successors and assigns (hereinafter referred to as the Distribution/Utility/MePDCL) of the other part.

Note : The term 'consumer' includes an individual person (Whether male or female), a body of persons, a company, society, firm, association or organization.

Whereas, the consumer has applied to the distribution utility for supply of electricity to the premises and the distribution utility has agreed to give the supply under the terms and conditions hereafter appearing.

Now, therefore, the agreement witness :-

(1) That the supply shall be given to the premises located at DMDCH BIRTHAH with the Consumer as owner/occupier of ;

(2) That the supply shall be for the purpose of CLT the load whereof shall not exceed 3KW watts.

(3) That the provision of the EA, 2003 and the regulations, code and orders including tariff orders, as may be made from time to time by the MSERC shall apply and bind the consumers and the distribution utility alike.

(4) That the consumer shall regularly and timely pay to MePDCL all charges may be due for the supply of electricity.



(4-a). That the consumer shall pay the Transformer Maintenance Charge as stipulated license and thereby maintenance and replacement of the transformer on account of failure be the responsibility of the licensee.

(5). That the agreement shall be a period of two years and may be renewed for a further period; Provided that supply shall not be terminated by mere efflux of time if the consumer is willing that the agreement is renewed;

(6). That the agreement shall be terminated if the consumer on its part desires it so and gives to the MePDCL a prior notice of not less than one month or on the part of the MePDCL, if the consumer has violated any of the terms and conditions of the agreement.

Provided that on the part of the MePDCL notice shall be given to the consumer stating the reasons for the proposed termination and giving him opportunity to state his case and his statement, if any, duly considered before the agreement is terminated and the supply of Electricity cut off.

(7) The terms and conditions of this agreement shall be effective from the date of supply of electricity is commenced.

IN WITNESS WHEREOF the parties hereto have set their hands and seals the date, month, and year first above written.

(For and on behalf of and by  
Authorisation the) consumer.

For and on behalf of MePDCL

Witness :- Bansynshar Janna

1. Signature : [Signature]  
Name : \_\_\_\_\_  
Address : \_\_\_\_\_

2. Signature : \_\_\_\_\_  
Name : \_\_\_\_\_  
Address : \_\_\_\_\_

ated by  
Failure sh  
od:

DISTANCE- 30177

KVP. 25  
KVP. 25  
A. Khachik

S.E. B. Schedule 1 Form 7

# Meghalaya Energy Corporation Limited TEST REPORT

This is to certify that repaired/renewed/additional new electric installation at the premises of

HEKMAN RYNDYAH

(Please leave one block between name & surname)

(Full Name)

UMPECHBYRTHIA

(Address)

is duly completed, tested and is ready for your Engineer to test and connect on your main line.

1 The load has been arranged as follows -

| Details of Load                                                                                            | Wattage of each item | Phase - 1     |            | Phase - 2     |            | Phase - 3     |            | Total watt of all 3 phases |
|------------------------------------------------------------------------------------------------------------|----------------------|---------------|------------|---------------|------------|---------------|------------|----------------------------|
|                                                                                                            |                      | No. of points | Total watt | No. of points | Total watt | No. of points | Total watt |                            |
| 1 Light points<br>(a) Fluorescent<br>(b) Incandescent<br>(c) CFL<br>(d) Halogen<br>(e) Others              | → 20 watt x 4        |               |            |               |            |               |            | = 50 watt                  |
| 2 Fan points                                                                                               | 75 watt x 2          |               |            |               |            |               |            | = 50 watt                  |
| 3 Plug points (3-pin)<br>(a) 6 Amps<br>(b) 16 Amps                                                         | 3 x 500 watt         |               |            |               |            |               |            | = 1500 watt                |
| 4 Electrical gadgets<br>(a) Water Heater (Geyser)<br>(b) Refrigerator<br>(c) Air Conditioner<br>(d) Others |                      |               |            |               |            |               |            |                            |
| 5 Welding Transformer                                                                                      |                      |               |            |               |            |               |            |                            |
| 6 Motor                                                                                                    | 1 HP                 |               |            |               |            |               |            | = 746 watt                 |
| Total                                                                                                      |                      |               |            |               |            |               |            | 2376 watts                 |
| In case of load enhancement<br>Existing load (in watts)                                                    |                      |               |            |               |            |               |            |                            |
| Total load in the premises (in watts)                                                                      |                      |               |            |               |            |               |            | 2376 watts                 |

Notes -

(a) Details of any apparatus (other than the above mentioned) should be given

(b) Rating of capacitor used in Induction Motor and Welding Transformer (Test report of capacitor is to be enclosed)

KVAR

II. Type of wiring

Casing & Capping wiring

III. Voltage and system of supply

1PH, 230 V AC Supply 50Hz

IV. Test Result

Date of Testing by Licensed Contractor

1 2 0 4 2 5

| Type of Test                                                                | Result of test carried out by licensed contractor<br>(in $M\Omega$ )/ $\Omega$ | Result of test carried out by the supplier under relevant IE Rules, in ( $M\Omega$ )/ $\Omega$ |
|-----------------------------------------------------------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| a. Insulation resistance between earth and whole system of conductor        | 40 M $\Omega$                                                                  |                                                                                                |
| b. Insulation resistance between all conductors                             | 40 M $\Omega$                                                                  |                                                                                                |
| c. Earth continuity between earth electrode and earth continuity conductor. | 5 $\Omega$                                                                     |                                                                                                |
| d. Polarity of non-linked SP switches.                                      | Phase                                                                          |                                                                                                |

V. Full Name with signature of Licensed contractor

LIC No.

*D. Khyriani*  
D. Khyriani  
Electrical Contractor  
Regd. No: 904

VI. Full Name with signature of supervisor  
(with date)

LIC No.

*D. Kharkrang*  
D. Kharkrang  
Electrical Supervisor  
Register. No - 1130


VII. Full Name with signature of wireman  
(with date)

PERMIT No

*D. Kharkrang*  
D. Kharkrang  
Electrical Licence  
Register. No - 8589

VIII. Signature of the authorised official who tested  
The installation of behalf of supplier.

IX. Date of connection of supply to the installation



**SEX : Male**  
**DATE OF BIRTH/AGE : 30/11/1960**  
**ADDRESS:**  
**HNo.174/1, LAWSOHTUN BLOCK II,**  
**VILL-LAWSOHTUN,**  
**DIST-EAST KHASI HILLS-793004**

**Date: 19-1-2018** Electoral Registration Officer  
**Assembly Constituency No & Name :**  
**20 - MYLLIEM**

**Part No and Name :**  
**48 - LAWSOHTUN BLOCK II-II A**

**Note**  
The possession of this card is no guarantee that you are elector of the current electoral roll. Please check your name in the current electoral roll before every election.  
Date of Birth mentioned in this card shall not be treated as a proof of age/D.O.B for any purpose other than registration in electoral roll.



# Ka Dabir ia shim bad ia ai siew Khyndew

Nga U/Ka Wistitcan Soktan ba shong ha  
Kanch S Trae Saban, Myllem Syiemship, nga ai siew noh ha phi  
 U/Ka Herman Rynjah ba shong ha Lau Soktan Shillong  
 mynta ka sngi, the 24-May 2011. ia ka jaka jong nga ka-  
 ba don ha Umdohbvrthik Raid Mawbuh, Myllem Syiemship, bad  
 kaba don hapoh kine ki sawdong pud:-

Mihngi :- Ga khap ka Surak - 5675.  
 Serngi :- Ga khap ka Kyuton (Nata) - 6675.  
 Shatei :- Ga khap gaka u uolung tynghah - 8575.  
 Sbathie :- Ga khap gaka u Niras Stuen Rynjah - 5475.

Nga la leh ia kane hapdeng ka jingko't jingkhiah bad jingtipbriew bha,  
 bad di la ka mon sngewbha khlem don ba pynbor mano mano ruh. Nga ai  
 siew noh ha phi ia katei ka jaka ba ka dor Rs. 66600/- Chyriar  
Shan Kaperbryk Kumta naduh mynta ka sngi phin dakhoh noh ma  
 phi ia katei ka jaka, katkum ki dustur bad riti jong ka Raid Lada don mano  
 mano ba uxor kan long bulor ka jingkit kbliet jong nga U/Ka nongai siew.

Dated Umroi:

The 24-05-2011

Nongai siew bai nonglut.

W. Soktan

Sakhi:-

1. [Signature]  
 Rangbah Shnong (Headman)  
 Village Dorbar  
 Umroi Umdohbvrthik

[Signature]  
Nong Shun Sien

KA JINGPYNKHEM NA KA DORBAR U SYIEM RAID MAWBUH.

Da kane la pynskhem ia ka jingia ai siew nonglut ia katei ka khyndew  
 hapdeng U/Ka Wistitcan Soktan (Nongai siew) bad  
 U/Ka Herman Rynjah (Nongshim s'ew) Katkum kine ki  
 kyndon harum:-

1. Phi dei ban kohnguh ia ki riti bad dustur, ka jingpyniaid bad jing-  
 synshar jong kane ka Dorbar.

2. Ka riti bad ka Dustur jong kane ka Raid ka long ba phim dei ban  
 iehnoh noh khlem rep khlem riang khlem trei khlem ktah ne khiem dakaol ia ka-  
 tci ka jaka 3 (lai) snem lynter. Lada phi leh kumta kane ka Dorbar ka don



# DORBAR SHNONG UMROI UMDOHBYRTHIH

RAID MAWBUH MYLLIEM SYIEMSHIP

**RI BHOI DISTRICT MEGHALAYA - 798 116**


Under rule 10 (3) of the administration of Myllem Syiemship rule, 2015 of the Khasi Hills Autonomous District council  
(Appointment and succession of Syiem, Deputy Syiem, Electors and Rangbah shuong of Myllem Syiemship) Act 2007

Ref. No: DSUB/21/02/24

Date: 21/02/2024

## NO OBJECTION CERTIFICATE

Da kane la pynshisha ba kam don kano kano ka jingpyrshah ia U/Ka  
Herman Rynjah ban tan light (Domestic line) sha ka  
iing jong U/Ka Herman Rynjah kaba don hapoh  
Umroi Umdohbyrthih.

  
Mr. P. B. Sylliang  
Rangbah Shuong (Headman)  
Umroi Umdohbyrthih

ty bill is not paid within 15 (fifteen) days (notice period) after due date of the bill.  
Meghalaya Power Distribution Corporation Limited

Sub-Division : Umiam Rural Dist Sub-Division

Consumer Id : 1000845430

Legacy Consumer Id :

Bill Number : 500296783396

Consumer Name : Phibakordor Dkhar

Address : UMROI UMDOHBYRTHIH 793116

C.Demand/Load : 1.0 KW

Mobile No : 9362178275

Security Amt Deposited : 1926.0

Category : DLT

Bill Basis : OK

Meter No : 429018

OMF : 1.0

Prev. Reading Date : 12-Jan-2024

Curr. Reading Date : 19-Feb-2024

Bill Date : 19-Feb-2024 16:56

No. of Days : 38

Prev KWH : 379.000

Current KWH : 500.0

Add. KWH : 0.0

Billed Unit : 121.0

Billed Demand : 1.0

Energy Charges : 544.5

Fixed Charge : 101.33

ED Amount : 6.05

FPPPA Charges : 0.0

Rebate : 0.0

Meter Rent : 0.0

DPC : 23.08

Current Bill Amt : 674.96

Prev Outstanding : 2347.8

Payment Amount : 0.0

Last Payment Date :

Last Payment Amount : 0.0

Gross Bill Amount : 3022.76

Due Date : 28-Feb-2024

Net Bill Amount : 3023.0

Lat :25.7127496

Long :91.9629271

MR Code:100506

This bill will be construed as final notice under Section 9.2 of MSERC (Electricity Supply Code) Regulations, 2018. Supply of electricity shall be disconnected at any date, if dues of Electricity