



3038

## NEW CONSUMER APPLICATION FORM



☐ If Consumer Apply for Sub-Meter/ Additional Connection  
(Please tick on the check box)

## Personal Details

\*Application No \_\_\_\_\_  
 \*Consumer Name MISERICORDIA ACCUPRESSURE AND WELLNESS CENTRE  
 \*Father's Name C/O NANGKIEWIRAT KHONGSHE  
 \*Mobile No 6009114191 7085870705  
 Aadhaar / EPIC No DYP0580423

Misericordia Acupressure and  
Wellness Centre  
Tyrso - Nongkyllep  
RA Boro Dist-793116, Meghalaya, India

## Address Details

\*Accommodation Own / Rented (Pl. tick one)  
 \*Discom Meghalaya Power Distribution Corporation  
 \*Zone Eastern Zone \*Circle Ribhoi Circle \*Division Umiam Division  
 \*Sub-Division Umiam Rural Distribution Sub-Division  
 \*Village Name Tyrso Nongkyllep  
 \*State Meghalaya \*City Ribhoi (Nongpoh)  
 \*Area Pin Code 793103 Locality Tyrso Nongkyllep  
 \*Full Address Tyrso Nongkyllep

## New Connection Details

\*Consumer Type: SG / CG / NG (Pl. tick one) \*Urban/Rural Type: Rural / Urban (Pl. tick one)  
 \*Activity House  
 \*Contract Load Unit KW / KVA (Pl. tick one) \*Contract Load: 2 KW  
 \*Category Domestic \*Product Type LT / HT (Pl. tick one)  
 \*Scheme All Categories excluding industrial / Industrial / Free Scheme /  
Saubhagya/ DDUGJY (Pl. tick one)

## Other Details

\*Meter Number \_\_\_\_\_ \*Initial KWH- \_\_\_\_\_ \*Initial KVAH- \_\_\_\_\_  
 \*Meter MF \_\_\_\_\_ Meter Owned - Utility / Consumer (Pl. tick one)  
 \*Phase 1 Phase / 3 Phase (Pl. tick one) \*TMC - Yes / No (Pl. tick one)  
 Meter Reader \_\_\_\_\_ Group No. \_\_\_\_\_

## List of Documents to be attach:

- \*Test Report
- \*Ownership Proof
- \*Identity Proof
- \*Meter Test Report
- Landlord NOC
- Agreement Fill
- Pollution Control Board

All fields mark with \* are mandatory

Date of Connection: \_\_\_\_\_

**APPLICATION FORM FOR PROVIDING LT SERVICE CONNECTION  
(FOR ALL CATEGORY AND FOR ALL PURPOSE)**

To

The Area Manager / Asst Executive Engineer  
Service Connection Sub-Division/ UR Distribution Sub-Division  
MeECT Umiam

(Indicate the local area of the jurisdiction of the Engineer of the licensee)

Sir,

1. I / We hereby request you to supply electricity to the premises located at the address fully described below. I/We are the owner / lawful occupier of the premises.
2. I/We agree to abide by the terms and condition relating to the supply of electricity by MeECT and to make all payments as may be required and also to pay regularly all the charges as may become due.
3. a) Full name and address of the applicant with contact telephone number 6009114191  
Misericordia Accupressure And Wellness Center

- b) Status in relation to the premises.      Owner      ☐  
Occupier      ☐

- c) Location and address of the premises including Police Station.

Tyrso Nongkyllep

- d) Nature of LT Supply.      Commercial      ☐      Domestic      ☒  
Industrial      ☐      General Purpose      ☐  
WSLT      ☐      PL      ☐  
Agriculture      ☐      KJ      ☐

2kw Load Sanction from  
Tyrso Nongkyllep 63 kVA S/S

A  
Assistant Executive Engineer i/c  
Umiam District Distribution Sub-Division  
MePDCL, Umiam

Sankshai  
Misericordia Accupressure and  
Wellness Centre  
Tyrso - Nongkyllep  
Ri Bhoi Dist - 793116, Meghalaya, India  
Applicant's Signature

NB: The following documents are to be enclosed:

- 1) Test Report from Licensed contractor.
- 2) Agreement Form duly filled in.
- 3) Proof of ownership (in case the applicant is owner)
- 4) Number of the nearest Electric Pole.
- 5) NOC of the owner of the premises (in case the applicant is occupier).
- 6) Attested copy of permission obtained from Pollution Control Board.
- 7) Building permission from the concerned authority.



63/KV  
23/10/25  
20MT  
**Agreement for supply of electricity Low Tension**



An agreement made this the \_\_\_\_ day of \_\_\_\_ of 20\_\_ between \_\_\_\_ and his successor and assigns (hereinafter referred to as the consumer) of the one part and the Meghalaya Power Distribution Corporation Limited an electricity distribution licensee under the EA, 2003 and its successors and assigns (hereinafter referred to as the Distribution Utility / MePDCL) of the other part.

Note: the term 'consumer' includes an individual person (whether male or female), a body of persons, a company, society, firm, association or organisation.

Whereas, the consumer has applied to the distribution utility for supply of electricity to the premises and the distribution utility has agreed to give the supply under the terms and conditions hereinafter appearing;

Now, therefore, the agreement witness –

- (1) That the supply shall be given to the premises located at Tyso Nongkhyllap with the consumer as owner / occupier of;
- (2) That the supply shall be for the purpose of Domestic  
The load whereof shall not exceed 2000 watts
- (3) That the provisions of the EA 2003 and the regulations, code and orders including tariff orders, as may be made from time to time by the MSERC shall apply and bind the consumers and the distribution utility alike;
- (4) That the consumer shall regularly and timely pay to MePDCL all charges as may be due for the supply of electricity;
- (5) That the agreement shall be a period of two years and may be renewed for a further period;  
Provided that supply shall not be terminated by mere efflux of time if the consumer is willing that the agreement is renewed;
- (6) That the agreement shall be terminated if the consumer on its part desires it so and gives to the MePDCL a prior notice of not less than one month or, on the part of the MePDCL, if the consumer has violated any of the terms and conditions of the agreement.

Provided that on the part of the MePDCL notice shall be given to the consumer stating the reasons for the proposed termination and giving him opportunity to state his case and his statement, if any duly considered before the agreement is terminated and the supply of electricity cut off.

(7) The terms and conditions of this agreement shall be effective from the date of supply of electricity is commenced.

**IN WITNESS WHEREOF** the parties hereto have set their hands and seals the date, month and year first above written.

*Sa N K S L e i*  
Miscordia Acapressure and  
Wellness Centre  
Tyrso - Nongkyllep  
31 Bhui Doo - 793116, Meghalaya, India  
**Consumer**

For and behalf of MePDCL.

Witness:

1. Signature:

Name:

Address:

2. Signature:

Name:

Address:

**Meghalaya Power Distribution Corporation Limited**  
**Test Report**

This is to certify that repaired/renewed/additional/new electric installation at the premises of

Full name

M I S E R I C O R D I A   A C C U P R E S S U R E

(Please leave one block between name & surname)

Address

T Y R S O   N O N G K H Y L L E P

1. The load has been arranged as follows:

Details of load	Wattage of each item	Phase I		Phase II		Phase III		Total wattage of all 3 phases
		No. of points	Total wattage	No. of points	Total wattage	No. of points	Total wattage	
1. Light points								
(i) Fluorescent								
(ii) Incandescent								
(iii) CFL								
(iv) Halogen								
(v) Others / LED	9 Wt	8 Nos	72 Wt					
2. Fan points								
3. Plug points (3-Pin)								
(i) 6 Amps	100 Wt	6 Nos	600 Wt					
(ii) 16 Amps	1000 Wt	1 No	1000 Wt					
4. Electrical gadgets								
(i) Water Heater (Geyser)								
(ii) Refrigerator								
(iii) AC								
(iv) Others								
5. Welding transformer								
6. Motor								
Total			1672 Wt					
In case of load enhancement existing load (in watts)								
Total load in the premises (in watts)			2 Kw					

Notes:

(a) Details of any apparatus (other than the above mentioned) should be given.

(b) Rating of capacitor used in induction Motor and welding

Transformer (Test report of capacitor is to be enclosed)

KVAR

II. Type of wiring

III. Voltage and system of supply

IV. Test Result *OK*

Date of testing by licensed contractor

*Carry Carry*  
*230V*  
1 5 1 0 2 0 2 5

	Type of test	Result of test carried out by licensed contractor (in M $\Omega$ ) / $\Omega$	Result of test carried out by the supplier under relevant Cea regulations, (in M $\Omega$ ) / $\Omega$
(a)	Insulation resistance between earth and whole system of conductor.	110 M $\Omega$	
(b)	Insulation resistance between all conductors	108 M $\Omega$	
(c)	Earth continuity between earth electrode and earth continuity conductor	3 $\Omega$	
(d)	Polarity of non-linked SP switches	0 $\Omega$ (PK-230V) (EN-0.2V)	

V. Full name with signature of licensed contractor (with date)

LIC No.

Mobile No.

*[Signature]*  
Mr. R. D. Electrical  
Lic. No : 381

VI. Full name with signature of supervisor (with date)

LIC No.

Mobile No.

*[Signature]*  
Mr. R. Dohdong  
Electrical Supervisor  
Regd. No: 459

VII. Full name with signature of wireman (with date)

LIC No.

Mobile No.

VIII. Signature of the authorized official who

tested the installation on behalf of supplier (with date)

Mobile No.

IX. Date of connection of supply to the installation





भारत निर्वाचन आयोग  
ELECTION COMMISSION OF INDIA  
मतदाता फोटो पहचान पत्र - Elector Photo Identity Card

DYP0580423



Name: Nangklewirat Khongshei

Mother's Name: I Khongshei

Gender: Female

Date of Birth / Age: 17-01-1984



ndf

Address: 188, NONGKSEH RIM, NONGKSEH, EAST KHASI  
HILLS, MEGHALAYA - 793005



Electoral Registration Officer, 20 MYLLIEM  
Issue Date: 21-12-2023

Note:-

- 1) Before every Election, please check that your name exists in current electoral roll.
- 2) This card is not a proof of age except for purpose of Election.

DYP0580423



# DORBAR SHNONG TYRSO NONGKYLLEP

## SHNAT RAID TYRSO , KHYRIM SYIEMSHIP

RI- BHOI DISTRICT, MEGHALAYA - 793116

Under Rule 5(5) of the Khasi Autonomous District (Appointment and Succession of Chiefs and Headmen) Rules, 2015 of the United Khasi Jaintia Hills Autonomous District ( Appointment and Succession of Chiefs and Headmen) Act, 1959.

Ref. No \_\_\_\_\_

Date: \_\_\_\_\_

### No Objection Certificate

Da kane nga u Rangbah Shnong Tyrso Nongkyllep nga pynshisha ba I Bah/  
Kong NANWLEWIRAT KHONGHE Lok jong I Bah/Kong \_\_\_\_\_  
bashong basah ha Tyrso Nongkyllep ba I donkam ban tan light na u Electricity Pole (New Connection) sha ka  
iing/dukan jong I. Te kumta ngam don kano kano ka jingujor ne pyrshah halor kane ka jingthmu jong I ban tan iaka  
Light.

Nga pynshisha ia kane da kaba nga soi iaka muhor harum.

  
Rangbah Shnong  
Tyrso Nongkyllep  
Manias Mujai  
Rangbah Shnong Tyrso  
Nongkyllep  
Shnat Raid Tyrso

# ST. PAUL'S CATHOLIC CHURCH MAWLASNAI PARISH



RI-BHOI DISTRICT - 793116  
SHILLONG ARCHDIOCESE

Date:

## JINGPYSHISHA

Da kane, nga u Parish Priest ka jong ka St. Paul's Parish Mawlasnai ba dei hapoh jingpyniaid jong ka Shillong Archdiocese, nga pynshisha ba ka **MISERICORDIA ACCUPRESSURE and WELLNESS CENTRE, TYRSO- NONGKHYLLEP**, Ri Bhoi District, ba pyniaid da ki sister Visitation of Don Bosco ( VSDB) la ai jingbit da ka Archdiocese of Shillong ban ai ka jingsumar bad jingiarap ia ki briew ki ba pang ba shitom ha kane ka shnong Tyrso- Nongkhyllep bad ki shnong ba marjan, ha ryngkat ka jingpeit jingkhmih lang jng ka ka St. Paul's Parish Mawlasnai, Ri Bhoi District.

Thanking You.

Yours Faithfully,

Parish Priest  
St. Paul's Parish, Mawlasnai  
Ri-Bhoi District, Meghalaya