Government of Meghalaya Office of the Executive Engineer (PHE) Electrical Division Lower Lachumiere – 793 001

No.EE/PHE/Elect/Shg/TB:229/2024-25/559

Dated, 4th July 2024

To,

The AreaManager/Assistant Executive Engineer, Service connection Sub: Division, MePDCL, Upper Shillong.

Sub:

Application for providing Service connection to PHE Pump House of DTW # II located at 3rd Mile Forest Land for Augmentation of Nongkseh Water Supply Scheme.

Sir,

With reference to the subject cited above, I am to submit herewith 1 (One) number of Application, Agreement and Test Report pertaining to provide Service connection to PHE Pump House DTW# II located at 3rd Mile Forest Land for Augmentation of Nongkseh Water Supply Scheme in the enclosed statement under the Postpaid metering system.

You are requested to kindly do the needful so as to enable this office to take further necessary action as required.

Enclo: As stated above

Yours Faithfully, Executive Engineer (PHE) **Electrical Division** Shillong


Memo No. EE/PHE/Elect/Shg/TB:229/2024-25/559-A

Dated, 4th July 2024

Copy to:

- The Superintending Engineer (PHE) Electrical Circle, Shillong, for favour of information.
- The Sub: Divisional Officer (PHE), Electrical Sub: Division, Shillong for information and necessary action.
- Shri. K. Sun JE (PHE) Electrical Sub: Division Shillong, for information and necessary action.

Executive Engineer (PHE) Electrical Division Shillong



Shillong.

FICE OF THE EXECUTIVE COMMITTEE DORBAR SHNONG NONGKSEH (Raid Sawkur Nongkseh) East Khasi Hills, Meghalaya Shillong - 793005

hiteo

INO.

NO-OBJECTION CERTIFICATE

The Executive Committee Dorbar Shnong Nongkseh has No Objection for the P.H.E Department to apply for the Electrical Connection from MeECL for the purpose of Electrical Connection to the Pump House located at Nongkseh,3rd Mile, Block- 8, Shillong-793005.

2024 26/06 Rangbah Shnong

Date:

Rangbah Shnong Raid Sawkur Nongkseh Shillong-5

Meghalaya Energy Corporation Limited TEST REPORT

d/additional/new electric installation at the premises of

1	This	is to	o ce	rtify	that	t rep	aire	d/ren	ewed/		A A	L		0	F	F	Ι	C	E	ĸ	N	(P	H	1	1
Γ	S	U	В	:	D	1	V	1		1 1	SI	B	:	D	Ι	V	Ι	S	1	0	IN			\square	K	
Ī	E	L	E	C	T	R	1	C	AL		5 0	-														
	S	Η	1	L	L	L	0	N	G		P	lock h	etwee	n nan	ne &	surn	ame)								1	1

(Please leave one Block betwee

(Ful	l Na	ime)										-		a	E		D	Т	W	#		Ι	I			
()	p	H	F			P	U	M	P		H	0	U	S	E		U	1	VV	 	-	-	-	TT		
-			L	/		T	F		F	0	D	F	C	Т		L	Α	N	D	0	F		A	U	G	M
5	r	d		M	1	L	E		F	U	ĸ	D	3	1		-	C	-	7.7	 11/	٨	т	F	D		
E	N	T	A	T	I	0	N		0	F		N	0	N	G	K	S	E	H	W	A	1	E	ĸ		
S	II	D	n	T	V	-	C	C	н	F	M	E														
0	Idro	P	P	L	Y		3		H	E	M	E														

(Address)

is duly completed, tested and is ready for your Engineer to test and connect on your main line.

The load has been arranged as follows :-I.

Details of Load	Wattage	Phas	e - 1	Phas	se - 2	Phas	se - 3	Total watt of	
	of each	No. of	Total	No. of	Total	No. of	Total	all 3 phases	
1. Light points	item	points	Watt	points	Watt	points	Watt	un o phases	
 Light points Fluorescent 						pomes	Wall		
(ii) Incandescent					N.				
(iii) CFL									
(iv) Halogen									
(v) Others LED									
	9w	1	$9_{\rm W}$	1	9w	1	0		
2. Fan points					200	1	9w	27 w	
3. Plug points (2)									
- MS PUILLS (1-nin)									
(1) 0 Amps	100 w	1	100 w						
(ii) 16 Amps	1000 w	1	100 W		100 w	1	100 w	300 w	
4. Electrical and		-	1000 W	1	1000 w	1	1000 w	3000 W	
4. Electrical gadgets(i) Water Heater			vv					5000 W	
(Geyser)									
(ii) Refrigerator									
(iii) Air Conditioner									
(iv) Others									
5. Welding									
Transformer									
ransionner									
6. Motor 10 Hp									
(8 Kw)	2.48 K_{W}	1	2.48	1	2.40				
			Kw	1	2.48 Kw	1	2.48	7.44 w	
Fotal		3.58	89 kw	34	589 kw		Kw	(8 Kw)	
				5	009 KW	3.5	589 kw	11.327 = 12	
n case of load enhanceme	nt							kw	
Existing load (in watts)									
Total load in the premises	(in watts)								
otes:-	(

No es:

Details of any apparatus (other than the above mentioned) should be given. (a) (b)

Rating of capacitor used in Induction Motor

and Welding Transformer (Test report of capacitor is to be enclosed).

TYPe of with

10%

2

ippe of wiring

0

Voltage and system of supply

3 & supply

020724

Test Result :

N.

Date of Testing by Licensed Contractor :

	Type of Test	Result of test carried out by liceused contractor	Result of test carried out by the
).	supplier under relevant lE
		$(in M\Omega)/\Omega$	Rules, in $(M\Omega)/\Omega$
3.	Insulation resistance between	P,-E - 150 Nos.	
	earth and whole system of - conductor	R2-E - 150 Nos.	
).	Insulation resistance between	P3-E - 150 Alos	-
	all conductors.	RB - 200 Nos.	
-	Earth continuity between earth electrode and earth	P, - P3 - 200 NOS -	:
	continuity conductor.	12- 13 - 200 NOS	-
1.	Polanty of non-linked SP	20-	
	switches.	Phase	1
	Full Name with signature of	Licensed contractor	Barlehim

LIC No.

V1. Full Name with signature of supervisor (with date)

LIC No.

VII. -Full-Name with signature of wireman (with date)

PERMIT No.

VIII. Signature of the authorised official who tested The installation of behalf of supplier.

Date of connection of supply to the installation

SHRI. B. MUKHIM Electrical Contractor Govt. of Meghalaya Regd. No.-1441

mafaw.

Shri. J. Majaw Electrical Supervisor Govt. of Meghalaya, Regd. No-1107

K. Khasahor

SHRI. K. KHARAKOR Electrical Wireman Govt. of Meghalaya Regd. No.-10590

IX.