APPENDIX - I

Form of application for supply of electricity at Low Tension / High tension

Po Gentrally Good hill

I/We request you to supply electricity at Low Tension/High Tension to my/our premises situated at Kagne

The requisite information in furnished below :-

i) Name of the applicant (consumer)

ii) Address for communication.

iii) Status of the consumer (applicant should state the legal status i.e. whether he is an individual owner or lawful occupant of the premises for which the supply is required, partnership firm or limited company or any other locall person and in case of partnership firm is should be stated whether it is registered, or unregistered, location of its head office, names and address of all partners and a copy of the partnership deed should be filled. In case of company it should be stated whether it is a Private Ltd. of Public Ltd. names of present Directors and a copy of the memorandum of articles of association should be furnished. In case of any other type of articles of association should be furnished. In case of any other type of local person, full details and name and address of the person, competent to represent the consumer should be stated.

iv) Location of the premises where supply is required stagge

v) Character of Supply of 233 Voll stoome

vi) Purpose for which supply is required Domertee

vii) Contracted load 960wolf

viii) Details of the concerned load (The consumer should furnish the requirement for a period not less than 2 years and preferably for a period of 5 years)

Nome!-Prenangche et. Toposak ele- Po!- Rangsakona law- Dist Boolly New-Goro hills ly is

- 2. I/We hereby agree to take supply and to pay all charges such as for energy, service connection and other dues including deposit of such security as may be aemanded in accordance with the rates and conditions of supplu of the Board in froce from time to time. I/We further declar and agree to take supply of electric power for the above-mentioned purpose for a period of not less then 2 years from the date of commencement of supply and, in case of reconnection of supply after a period of 6 months from the date of disconnection for not less than one year from the date of re-connection.
- I/We also undertake to receive supply within 3 months from the date of Board intimates that it is ready to give supply to our premises failing which I/We undertake to pay the Board the minimum charges as may be applicable.
- 4. This application is for
 - a) A new service connection you

b) Re-connection

c) Alteration to may existing installation

d) Temporary Service Connection

e) Charge of Service Connection in the name of

APPENDIX - II AGREEMENT FOR SUPPLY AT LOW TENSION

main Board statutory	herself/itself and for their/his/hersepporation constituted under	el dection a or are	20by sor of the Meghalaya ricity (Supply) Act, 1	State Elec-
successor and assigns h	eremaner caned the Borne.			
	mentioned have requested the and the Meghalaya Stations notified by them from time			
Details of Suppl				
a) Purpose Dan b) Category Vill	nerlu lege			
	Justine - Jan			
	ake from Meghalaya State E	lectricity Board electrons the purpose as mentions	ic power for a load r ed above at our mills	not exceeding.
The contract d	emand agreed between the Bo			KW/HP
CONDITION	ON TO COMPLY WITH RE			
I/We further un tricity (Supply) Act. 19 terms and conditions of	ndertake to comply with all the 948, the rules thereunder, the of supply prescribed by the Bo	provisions of the Sched pard from time to time ar	ian Electricity Act, 19 ule of Miscellaneous ad not to dispute the	40, the Elec- s charges, the same.
	OMING INTO FORCE OF			
to give the supply to m	ke to receive the supply within y/our premises, failing which I ided by the Board, furtherm the te of commencement of the su	We undertake to pay and	racts shall be deemed	to have come
6. PERIOD OF	FAGREEMENT		-	
I/We undertal ment has come into fo	ke to avail supply for a minim orce.	num period of	years from the dat	te of this agree-
,,	NATION OF THE AGREE			
intentions at any tim Board may terminate	at liberty to determine the cor be after the expir y of the contract at any time givin ons of supply notified by the M this agreement including the I	years. I we ag ag 7 days notice if I/We very	riolate the terms of the	is agreement ar

Notice of commencement of works

From,

The Inspector of Electricity Meghalaya, Shillong.

M/S. Modern Electrical House. Hallidayganj - 794104

West Garo Hills, Meghalaya Regd. No. 428.

Subject:- Notice of commencement of works under clause 36 of Rules and condition prescribed under Rule 45(1) of India Electricity Rules, 1956 Sir.

I have the honour to inform you that Addition/Alternation/Repair New Electrical instalation will be executed by me/us in the undermentioned premises and the particulars are

1. Owner of premises: - Name: - PRENANGCHI CH MARAK

Address: - VIII'- SKAGRE

Dist: Coult when All

_			1.0,	W. 1345.11	Kand.	Dist: Soulh We	of Rom hill.
2		nber of points:	-,	Nos.	Watts	Total Wattage	Maghalys
		Light points		BNOSX	GOW=	OBOWHY.	144
	ii)	Plug point		BNOSDA	1000-	300 1	
	iii)	Fan point	1 1-	3 NOSA	100 N2	300,	21 - 11 - 12
	iv)	Tube light poir	nt			1	960NUS
	v)	Power plugh					
	vi)	Other apperatu	1S			\$50w15	1
						76000	1

3. Type of Wiring :- Loopy

4. Date of commencement :- 18 6 2 20 25

5. Name of Supervisors :- A. F. Hoque

Regd. No.: - 670

6. Name of Wireman
i) Porferedro Paul

ii)

Regd. No. 2308...

Copy to :-

The S.D.O. (Elect.)

Me. P.D.C.L. Gardbeelka

pDCL Schedule 1 Form 7

MEGHALAYA POWER DISTRIBUTION CORPORATION LIMITED

TES	T REP	ORT				
This is to certify that repaired / renewed / a						
PRENANGCHIC	H MI	ARAK	VILL	SKA		
(Full Name)						
GRE PO RANGS	AKO	NA				
(Address) District Coult West - Gove hills Menting is duly completed, tested and is ready for your Engineer to test and connect on your main line.						
1. The load has been arranged as follows:						
Details of Load Wattage of Ph	ase - 1	Phase - 2	Phase - 3	Total Wa		

Details of Load	Wattage of	Phas	e - 1	Phas	e-2	Phas	e - 3	Total Watt
Miles 1	each item	No. of Points	Total Watt	No. of Points	Total Watt	No. of Points	Total Watt	of all 3 phases
i) Fluorescent ii) Incandescent iii) CFL iv) Halogen v) Others	PONX	GNOS	3604	પ્ <u>ના</u> ?				
2. Fan Points	1000X	1-4	300	40415				
3. Plug Points (3-pir i) 6 Amps	1) (60~)	3142			. 11		-1	
ii) 16 Amps		1	1	-	1 -			
			1				1	
4. Electrical gadget	S						1	-
i) Water Heater (Geyser)		1				1	1	1
ii) Refrigerator						L CLE	1	1 .
iii) Air Condition	ner	79 14		\		1		-
iv) Others	1.00				1			1
		1		1				
5. Welding				1				
Transformer	1300			/		- 1	-	
C Marca								
. 6. Motor				1600001				
TOTAL				1000)			

In Case of load enhancement Existing load

Total load in premises

- a) Details of any apparatus (other than the above mentioned) should be given
- b) Rating of capacitor used in Induction Motor and welding Transformer (Test report of capacitor is to be enclosed.

- System of Wiring I.
- Type of Wiring Lospins 11.
- Voltage and system of supply 230 vot Alc S/ Phole Ш.
- Test Result: IV.

Date of Testing by Licensed Contractor: 25 02 22025

Type of Test	Result of test carried out by licensed contractor in $(M\Omega)/\Omega$	Result of test carried out the supplier under relevant IE Rules in $(M\Omega)/\Omega$
a. Insulation resistance between earth and whole system of conductor.		
 b. Insulation resistance between all conductor. c. Earth continuity between earth electrode and earth continuity conductor. d. Polarity of non-linked SP switches. 	16Megh atthose	

V. Full Name with signature of Licensed contractor: Theyer Abul forsal Hoc LIC No.: MODERN ELECTRICAL HOU

Hallidaygani, P.N., 794103 Rean No. 428 West Garo Hills, Magn

VI. Full Name with Signature of Supervisor (With date):

LIC No.:

Pegn. No. 670

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

2502

25

VII. Full Name with Signature of Wireman (With date):

Ga(5) 2 011M 2308

PERMIT No .:

2502

VIII. Signature of the authorized official who tested the installation on behalf of supplier.

IX. Date of connection of supply to the installation:



ISO: 9001: 2015. & ISO 14001: 2015. HPL Electric & Power Ltd.

TEST CERTIFICATE

ITEM : Single Phase Static Watthour Meter

METER SL. NO. :

791557

RATING

5-30A 240V, 50Hz

CLASS

1.0

METER

6400 Impulses per kWh

CONSTANT

IS 13779:1999

The Meter was tested & has passed following routine tests as per IS: 13779 at reference conditions:

	TEST	RESULT
01	No-Load Conditions	Passed
02	AC Voltage Test	Passed
03	Insulation Resistance Test	Passed
04	Starting Test	Passed
05	Meter Accuracy Test	Passed Meter Accuracy Observed within ±1%

Initial Reading

00002

CERTIFIED

Signature: _

Date: 10/01/2025

Meter Tester Gr - I
MTI Laboratory
MePDCL, Lumjingshai
Shillong

Executive Engreer
MTI Division
MeFDCL, Shillong

Ma Santira Ch. Marak

(Traditional Chief) Nokma Jelbongpara A·king II-20(20) P.O. Bandalkona Dist. South West Garo Hills, Meghalaya.






Subject This recomend for New current consection.

TO WHOM IT MAY CONCERN:

This is to certify that Shri/Smt	PRENANACHI	CH. MAR				
Son/daughter/Shri/Lt. RONGMAN	CH.	SANGMA				
Smt/LtMING.JAK	CH. MARA].k an inhabitant				
Skagoe is pers	sonally known to me. He/Sh	e is a permanent resident				
Skagre	PO Rangsate	MgP.S. Amp				
South West Garo Hills, Meghalaya and belong to a bonafide "GARO" family. Nothing adver-						
to his/her antecedent and good moral character known to me till date.						
/2007/00/2007/00/2007/00/2007/00/2007/00/2007/00/2007/00/2007/00/2007/00/2007/00/2007/00/2007/00/2007/00/2007/						
		THE PARTY OF THE P				

I wish him/her a grand success in his/her future career.





मास्त सरकार Government of India



Prenangohi Ch Marak DOB: 2000

Female

आयत पहचान का प्रमाण है, नागरिकता या जन्मतिथि का नहीं । इत्ताणा उपयोग सत्यापन (ऑनलाइन प्रमाणीकरण, या प्रयुक्तार बांड/ ऑफलाइन रक्तरुक्त्एल की स्कैनिंग) के साथ किया जाना चाहिए।

Aadhaar is proof of identity, not of citizenship or date of birth. It should be used with verification (online authentication, or scanning of QR code / offline XML).

6882 9145 7604

मेरा आधार, मेरी पहचान



सारतीय जिल्हिन्द गहचान प्राचित्रहरू Unique Identification Authority of India



Address: C/O: Rongman Ch Sangma, 74 Skagre, Skagre, PO:Garobadha, DIST South West Garo Hills, Meghalaya, 794105



6882 9145 7604



