# VILLAGE'S NOKMA GAONBURAH

Village Molmegre

P.O: Damalgre, Pin No.794105 P.S. Tura, Mouza No. 10 - 11 Laskar: Dengnakpara

Dist: South West Garo Hills Ampati, Meghalaya

# To Whom IT May Concern

This is to certify that Shri / Smit Mansang C.R. Manch.

Son / daughter of Shri / Smt Lt. Bobitson Ch. March.

He/ The is permanent resident of my village MOLMEGRE of Garo Community

whose certificate is attested above is known to me and is the above address permanently.

He/ The is well disciplined and good moral character and I wish him her

to success in his her future life.

WELLINA M. SANGMA



### INDIA NON JUDICIAL

## **Government of Meghalaya**

#### e-Stamp

Certificate No.

Certificate Issued Date

Account Reference

Unique Doc. Reference

Purchased by

Description of Document

**Property Description** 

Consideration Price (Rs.)

First Party

Second Party

Stamp Duty Paid By

Stamp Duty Amount(Rs.)

IN-ML08208568772033X

25-Apr-2025 01:55 PM

CSCACC (GV)/ mlcsceg07/ ML-WGHRIN0064/ ML-WGH

SUBIN-MLMLCSCEG0714466680115495X

MANSANG R MARAK

Article 4 Affidavit/ Declaration

NA

0

(Zero)


MANSANG R MARAK

Not Applicable

MANSANG R MARAK

(Ten only)

SI./Instrument No. 1570





Please write or type below this line

AFFIDAVIT

Identified by

E.Z.Ch. Marak

Advocate

giatrate 0026078765

South West Garo Hills District Ampati, Meghalaya.

Statutory Alert:

- The authenticity of this Stamp certificate should be verified at www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding Any discrepancy in the details on this Certificate and as svallable on the website / Mobile App renders it invalid.
   The onus of checking the legitimacy is on the users of the certificate.

### **AFFIDAVIT**

I, Shri Mansang R. Marak, S/o Shri Bobitson Marak, resident of Rongbakgre, P.O. Damalgre, P.S Damalgre, District South-West Garo Hills, Meghalaya, by faith Christian, do hereby solemnly affirm and declare as follows:-

- 1. That, I have applied for Domestic Electricity Connection at Wakka Kamagre, P.O Damalgre, P.S Damalgre, Dist. South-West Garo Hills, Meghalaya from concerned authority, MePDCL, Garobadha Distribution Sub-Station.
- 2. That, I own and possess a plot of land covered by P.P No. 196, Dag No. 198, situated at Wakka Kamagre, P.O & P.S Damalgre, Dist. South-West Garo Hills, Meghalaya, consisting one kutcha house, in which the concerned authority can provide the proposed electricity connection, erect electricity poles without any obstruction, and hence this affidavit of
- 3. That, this affidavit is being sworn in neither to cause any harm to anybody, person or authority, nor to cause any wrongful gain to myself but to declare the above facts and submit it before the authority concerned for electricity connection and nothing else.

Contents of above paras of my affidavit are all found to be true to the best of my knowledge and belief; and I verify the same, and in token whereof I sign this affidavit this 30th day of April, 2025 at Ampati.

Mansang C.R. Maxah.
(Deponent)

Solemnly affirmed and declared before me by the above named deponent who is identified by E.Z.Ch. Marak, Advocate, on this 30th day of April, 2025 at Ampati.

Identified by:-

Notary/Magistrate ::: Ampati Monica .

NOTA

South West Garo Hills District Ampati, Meghalaya.

### APPENDIX - I

FAPPLICATION FOR SUPPLY OF ELECTRICITY AT LOW TENSION / HIGH TENSION

The S.D.O. (Slacepic)	
Me P.D.C. L. Garobacha	
Couthwest-Craro Hills, Maghery	9

Sir.

I/We tequest you to supply electricity at Low tension/High Tension to my/our premises situated at

The requisite information is furnished below

i) Name of the Applicant (Consumer)

ii) Address for communication

status i.e. whether he/she is an individual owner or lawful occupant of the premises for which the supply is required, partnership firm or limited company or any other local person and in case of partnership firm it should be stated whether it is registered or unregistered, location of its head office names and addresses of all partners and a copy of the partnership deed should be filed. In case of company it should be stated whether it is Private Ltd. or Public Ltd. names of present directors and a copy of the memorundum or articles of association should be furnished. In case of any other types of articles

of association should be furnished. In case of any other type of local person, full details and names and address of the person competent to represent the consumer

Status of the consumer (applicant should state the legal

Mansang. C. R. Marare Molmagne lot Damof gne South Weel-Gerrotells,

iv) Location of the premises where supply is required: Malmagne

v) Character of supply: BOVOLSARC, Single Phone

vi) Purpose for which supply is required:

vii) Contracted load: 17500 alts

should be stated.)

viii) Deatls of the contracted load (the consumer should furnish the requirement for a period not less than 2 years

UP = ( ROOM & 3 COW PIP = 2×100 SI = 200 PIP = 3×65 = 195 Pomer Phose 1×1000 9 = 1000 S

and preferably for a period of 5 years.

I/we hereby agree to take supply and to pay all charges such as for energy, service connection and other dues including deposit of such security as my be demanded in accordance with the rates and connections of supply of the Board inforce from time to time. I/We further declare and agree to take supply of electricity power for the above mentioned prupose for a period of not less than 2 years from the date of commencement of supply and, in case of re-connection of supply after a period of 6 months from the date of disconenction for not less than one year from the date of re-connection.

# APPENDIX - II

## AGREEMENT FOR SUPPLY AT LOW TENSION

	Agreement executed this day of 20
	for themselves/himself/herself/itself and for the their/his/her/ its assigns and successors in favour of the Meghalaya State Electricity Board statutory corporation constituted under Section - 5 of the Electricvcity (Supply) Act, 1948 and its successors an assigns herein after called the BOARD.
A	2. SUPPLY OF POWER:
	I/We the above mentioned have requested the Board to supply electricity at High Tension for the purpose of
	Details of Supply
	a) Purpose Domestic  b) Category Wege many and pullbagas established at a many and a second at a secon
	b) Category Mage management of pulborary required at a contraction of the contraction of
3	3. LOAD
-30 v	I/We agree to take from Meghalaya State Electricity Board electric power for a load not exceeding ACCSIPhu_HP/KW for exclusive use for the purpose as mentioned above at our mills/factory.  premises situated at
	The contract demand agreed between the Board and myself/ourselves are KW/HP for the first year KW/HP for year.
	4. OBLIGATION TO COMPLY WITH REQUIREMENT OF FACTS, RULES, TERMS AND CONDITIONS OF SUPPLY:
	I/We further undertake to comply all the requirements of the Indian Electricity Act, 1940, the Electricity (Supply) Act, 1948, the rules thereunder, the provisions of the Schedule of miscellaneous charges, the terms and conditions of supply prescribed by th Board from time to time and agree not to dispute the same.
5	DATE OF COMING INTO FORCE OF THE AGREEMENT:
	I/We undertake to receive the supply within 3 months from the date the Board intimates that it is ready to give the supply to my/our premises, failing which I/we undertake to pay the Board the minimum charges as may be applicable and decided by the Board. Further, the provisions of the contract shall be deemed to have come force into from the date of commencement of the supply or the date of expiry of 3 months notice above referred to whichever is earlier.
6.	PERIOD OF AGREEMENT:
	I/We undertake to avail supply for a minimum period of years from the date of to agreement has come into force.
7.	DETEREMINATION OF THE AGREEMENT:
	I/We shall be liberty to determine the contract by giving in writing one month's notice express such intensions at any time after the expiry of years. I/We agree that Meghalaya S

TICE OF COMME	NCEMEN	T OF WO	RKS
Garo Hills, Meghalaya  O Robot Senior Electrical Inspector,			
Chillana			
	-12 5-1-2		
	er clause 36 of Elect	rical Licensing Box	ard Regulations
conditions prescribed under Rule 29(1) of the Ce	ntral Electricity A	thority of Safety F	Regulation, 2010
	1 Dan	rachi 1	
I have the honour to inform you that the aditional / Alte	ernation/Repair/Ne	w Electrical instalati	on will be execute
/us in the under mentioned premises and the particulars	are as stated below:		
1. Owner of premises: Mangang CR with Address: Molmegne poly 2. Details of Load	Margre		
with Address: Molmegne and	mal one Son	el weel have	tall, las
2. Details of Load	No. of Points	T W-H-	
A. Light Points.	No. of Points	Watts	Total Watts
i) Fluorescent			
ii) Incandescent lamp	6005	60Wats	360wd4
ii) CFL			
iv) Halogen			
v) Others			
B. Fan Points.	3 NO	ezw of	122000
C. Plug Points.			
i) 6 Amps socket	2 ard	100 was	7-00W -4
ii) 16 Amps socket	INC	1000 W M	1000 WOLK
D. Electrical gadgets.  i) Water heater			1
ii) Refrigerator			-
iii) Air condition			1
iv) Others			
E. Motors.	No.		
F. Wilding Transformers.			
		Tobal:	1755 MS
3. Type of Wiring:			
4. Date of Commencement:			
5. Name of Supervisor : SANJAY SAHA		Regi	d. No. 981
6. Name of Workman: Sangay Cale			1. No. 6294
0.0			
		Yours fa	ithfully,
ws.D.O. (Elec.) Gurobadla		Electrical Control	3/205

edule 1 From 7

## LAYA POWER DISTRIBUTION CORPORATION LIMITED

### TEST REPORT

(Domerly)  This is to certify that repaired / renewed / additional / new electric installation at the premises of					
MANSANG	CR	MARA	R		
(Full Name)					
MOLMEGR					
(Address) South wer					

is duly completed, tested and is ready for your Engineer to test and connect on your main line.

### . The load has been arranged as follows:

	Wattage of	Phas	se-1	Pha	se-2	Phas	se-3	Total Watt
Details of Load	each item	No. of Points	Total Watt	No. of Points	Total Watt	No. of Points	Total Watt	of all 3 phases
Light Points     i) Fluorescent     ii) Incandescent     iii) CFL     iv) Halogen     v) Others	Gowds		360 NAS					
2. Fan Points	65woll	SWS	(32 4	100	A 1837 -	B'ria		
3. Plug Points (3-pin) i) 6 Amps ii) 16 Amps	100 Well		200 4 1000 4	1400			. N	
4. Electrical gadgets i) Water Heater (Geyser) ii) Refrigerator iii) Air Conditioner iv) Other 5. Welding Transformer 6. Motor								
TOTAL	3	175	the or					
In case of load enhancement Existing load								
Total load in premises								
Total Control of the								

#### Notes:

- a) Details of any apparatus (other than the above mentioned) should be given.
- b) Rating of capacitor used in Induction Motor and welding Transformer (Test report of capacitor is to be enclosed)



001: 2015. & ISO 14001: 2015. Electric & Power Ltd.

## TEST CERTIFICATE

Single Phase Static Watthour Meter

vese oz

5-30A

240V, 50Hz

1.0

TER

CONSTANT STANDARD 6400 Impulses per kWh

IS 13779:1999

The Meter was tested & has passed following routine tests as per IS: 13779 at reference conditions:

	TEST	RESULT
01	No-Load Conditions	Passed
02	AC Voltage Test	Passed
03	Insulation Resistance Test	Passed
04	Starting Test	Passed
05	Meter Accuracy Test	Passed Meter Accuracy Observed within ±1%

Initial Reading

00002

CERTIFIED

Signature:

Date:

16/12/2024

Meter Tester Gr - I MTI Laboratory MePDCL, Lumjingshal Shillong

Executive Engreer MTI Division MePDCL, Shillong



Get der (
Del s. et Bathi Age :

All cent ( B. ROWERANCEE ACMERIEUM
DAI GALGRE, PRET GARD PELL SERVINGER
Del s. 1 28-03-2022

Electurel Registration
(SPECIAL
ASS combly Coret Havemay No. and Names : 52RAI AGSAKOMA (ST)

The / Hole
1 191 mil of mrs. and up it is not only unit on 2 for not some
horse upward it leave by good word on 2 for not some
where upward it leave by good word on 2 for not some
where upward it leave by
Marin procession of living card in the good-corets.

blass possession of this card is no guarantee to me discrime of the current sinchrad cut! Please small promise in the current sixthrad pull before some in the current sixthrad pull before some if a line is good in the current sixthrad pull before some if a line is made and it is before the field in the line is and a set in all the current pull before it is and a proof of age/O O B for any purpose officer than registration in electoral roll.

dis

+005225527