

SHILLONG MOUNTAIN ENERGY POWER DISTRIBUTION CORPORATION LIMITED
APPLICATION FORM FOR PROVIDING SERVICE CONNECTION
(FOR ALL CATEGORY AND FOR ALL PURPOSE)



The Area Manager/Assistant Executive Engineer
Service Connection Sub Division/.....Distribution Sub Division
MePDCL
(Indicate the local area of the jurisdiction of the Engineer of the Licensee)

I/We hereby request you to supply electricity to the premises located at the address more fully described below.

I/We agree to abide by the terms and conditions relating to the supply of electricity by MePDCL and to make all payments as may be required and also to pay regularly all charges as may become due.

(a) Full name and address of the applicant with contact telephone/Mobile number :

Smili, WANRITHUN SYRNA
Mawthamaw mawngong.
Ph.No. 8787823642

(b) Status in relation to the premises : Owner ☒
Occupier ☐

(c) Location and address of the premises including Police Station :

(d) Nature of LT Supply : Commercial ☐ Domestic ☒ Industrial ☐
General Purpose ☐ WSLT ☐ PL ☐
Agriculture ☐ KJ ☐ MePDCL ☐
Employee ☐

W. Syrna
Applicant's Signature

The following documents are to be enclosed :

- 1) Test Report from Licensed contractor.
- 2) Agreement form duly filled in
- 3) Proof of ownership (in case an applicant is owner)
- 4) Number of nearest Electric Pole..... Number of nearest Consumer.....
- 5) NOC of the owner of the premises (in case an applicant is an occupier).
- 6) Attested copies of permission obtained from Pollution Control Board (if applicable).
- 7) Building permission from the concerned authority (if applicable).
- 8) Occupancy Certificate from MUDA for areas within Shillong Municipal Limit (if applicable).
- 9) Proof of Identification (any one of the following) :-
Electoral Identity Card/Passport/Driving Licence/Ration Card/Photo Identity Card issued by Government agency/PAN Card/Certificate of residence or identity from the Headman/Nokma, Village Levelworker/Primary School Teacher/Incharge of primary health centre.

(4-a). That the consumer shall the Transformer Maintenance Charge as stipulated by the License and there by maintenances and replacement of the transformer on account of failure shall be the responsibility of the licensee.

(5). That the agreement shall be a period of tow years and may be renewed for a further Period; provider that supply shall not be terminated by mere efflux of time if the consumer is willing that the agreement is renewed;

(6). That the agreement shall be terminated if the consumer on its part desires it so and gives to the MePDCL a prior notice of less than one mouth or the part of the MePDCL, if the consumer has violated any of the terms and conditions to the agreement.

Provider that part of the MePDCL notice shall be given him opportunity to starting the reasons For the proposed and termination and giving him opportunity to state his case and his statement, If any duly considered before the agreement is terminated and the supply of Electricity cut off:

(7). The terms and condition of this agreement shall be effective from the date of supply of electricity is commenced.

IN WHITNESS WHEREOF the parties hereto set their hands and seals the date, month, and year first above written.

W. S. S. S.
(For and behalf of and by
Authorisation the) consumer.

For and on behalf of MePDCL

Witness :-

1. Signature: *A. S. S. S.*
Name: *Albert S. S. S.*
Address: *Mawrasai*

2. Signature: _____
Name: _____
Address: _____

Annexure-3



Agreement for Supply of Electricity low tension

An Agreement made this the 01 day of 06 of 2025

Between Smli. Wondehnu Syreng and his successor and assigns
(hereinafter Referred to as the consumer) of the one part and the Meghalaya power Distribution Corporation Limited an electricity distribution licensee under the EA, 2003 and its successors and assigns (hereinafter referred to as the Distribution / Utility / Me PDCL) of the other part.

Note : the term 'consumer' includes an individual person (whether male or female), a body of Persons, a company, society, firm, association or organization.

Whereas, the consumer applied to the distribution utility for supply of the Premises and the distribution utility has agreed to give the supply under the terms and conditions hereafter appearing;

Now, therefore, the agreement witness –

- (1). That the supply shall be given to the premises located at mawtauean mawdingong
With the Consumer as owner / occupier of;
- (2). That the supply shall be for the purpose of 230 V DLT
The load whereof shall not exceed 2 Kw watts.
- (3). That the provision of the EA, 2003 and the regulation, code and orders including tariff Order, as may be from time by the MSERC shall apply and bind the consumers and the Distribution utility alike;
- (4). That the consumer shall regularly and timely pay to MePDCL all charges may be due for the Supply of electricity;

Meghalaya Energy Power Distribution Corporation Limited

TEST REPORT

This is to certify that repaired/renewed/additional/new electric installation at the premises of

Shri, WANRI HUN SYRWA

(Please leave one block between name & surname)

(Full Name)

MAWTA WAR MAWDONG

(Address)

is duly completed, tested and is ready for your Engineer to test and connect on your main line.

1. The load has been arranged as follows :-

Details of Load	Wattage of each item							Total watt of all 3 phases
		No. of points	Total Watt	No. of points	Total Watt	No. of points	Total Watt	
1. Light points								
(i) Fluorescent								
(ii) Incandescent								
(iii) CFL LED	9w	10	90					
(iv) Halogen								
(v) Others								
2. Fan points								
3. Plug points (3-pin)								
(i) 6 Amps								
(ii) 16 Amps	100,	5	500					
4. Electrical gadgets								
(i) Water Heater (Geyser)	1000	1	1000					
(ii) Refrigerator								
(iii) Air Conditioner								
(iv) Others								
5. Welding Transformer								
6. Motor								
Total		1590						
In case of load enhancement Existing load (in watts)								
Total load in premises (in watts)		2kw						

Notes :-

- Details of any apparatus (other than the above mentioned) should be given.
- Rating of capacitor used in Induction Motor and Welding Transformer (Test report of capacitor is to be enclosed).

KVAR

11

III. Voltage and system of supply

230 V DLT

IV. Test Result :

Date of Testing by Licenced Contractor :

02 06 25

Type of Test	Result of test carried out by licensed contractor (In MΩ) /Ω	Result of test carried out by Supplier under relevant IE Rules, in (MΩ) /Ω :
a. Insultation resistance between earth and whole system of conductor.	15m Ω	
b. Insultation resistance between all conductors.	15m Ω	
c. Earth continuity between earth electrode and earth continuity conductor.	Phase	
d. Polarity of non-linked SP switches.		

V. Full Name with signature of Licensed contractor :

LIC No. :

L. Pohlong
Electrical Contractor
Regd. No. 1431

VI. Full Name with signature of supervisor
(with date) :

LIC No. :

K. Syiem
Electrical Supervisor
Regd. No. 1217

VII. Full Name with signature of wireman
(with date) :

PERMIT No. :

K. Syiem
Electrical Wireman
Regd. No. 8989

VIII. Signature of the authorized official who tested
The installation of behalf of supplier. :

IX. Date of connection of supply to the installation.

OFFICE OF THE EXECUTIVE COMMITTEE
KHASI HILLS AUTONOMOUS DISTRICT COUNCIL
SHILLONG.

No.DC/KHBSRA/BP/914/2024/10/536

Dated Shillong, the 21st April, 2025

To

Smt. Wanrihun Jyrwa,
Mawtawar Mawdnong,
Shillong.

Subject:- **Partial Occupancy Certificate.**


Reference: Building Permission Sanction No.DC/KHBSRA/BP/914/2024/6/387 Dt. 3.12.2024.

Madam,

With reference to your notice of completion dated 1.4.2025, this is to certify that the erection of the building at plot with Gift Deed Dated 25.5.2024 situated at Mawtawar Kyntoit Mawdnong, Shillong was partially completed under the supervision of Mr. Wanshan Kuper Khongwir, Regd. No.KHBSRA/2024/ER2016/1 and is permitted to be occupied with the following conditions:-

1. That this Partial Occupancy Certificate is strictly for the bedroom and kitchen RCC structure only for use as a Residential Bungalow.
2. No change of use is permitted without prior approval of the Khasi Hills Building and Structure Regulatory Authority (KHBSRA), Khasi Hills Autonomous District Council, Shillong.
3. Parking spaces should be strictly maintained & should not be converted into any other use.
4. On completion of all the floors as per sanctioned plan, you are to intimate this office for issuance of final Occupancy Certificate without fail.

Yours faithfully,


Member Secretary,
Khasi Hills Building and Structure
Regulatory Authority (KHBSRA),
Khasi Hills Autonomous District Council,
Shillong.

Memo.DC/KHBSRA/BP/914/2024/
Copy to:-

Dated Shillong, the _____, 2025

1. Mr. Wanshan Kuper Khongwir, Regd. No.KHBSRA/2024/ER2016/1 for information.
2. The Rangbah Shnong Mawtawar, Myllem Syiemship, Shillong for information.


Member Secretary,
Khasi Hills Building and Structure
Regulatory Authority (KHBSRA),
Khasi Hills Autonomous District Council,
Shillong.

Office of
THE DURBAR SHNONG MAWTAWAR


Myllem Syiemship, East Khasi Hills District, Meghalaya (INDIA)

Under rule 10(3) of the administration of Myllem Syiemship rules, 2015 of the Khasi Autonomous District (Appointment and Succession of Syiem, Deputy Syiem, Electors and Rangbah Shnong of Myllem Syiemship) Act 2007

Dated: Mawtawar, The, 9th OCT, 2024

NO OBJECTION CERTIFICATE

The Durbar Shnong Of Mawtawar Village, East Khasi Hills District Meghalaya Shillong, has no objection against Shri/ Smt WANRINUN DYRUSA a resident of MAWTAWAR to apply for an electricity connection and for erection of new poles to his/her newly constructed house located here at Mawtawar (CAITHUM) provided that the lines do not cross over other people's MAUDACONG land, property, etc.


(C. Kharkongor)
Rangbah Shnong
Mawtawar
Myllem Syiemship



Office of

THE DURBAR SHNONG MAWTAWAR

Myllem Syiemship, East Khasi Hills District, Meghalaya (INDIA)

Under rule 10(3) of the administration of Myllem Syiemship rules, 2015 of the Khasi Autonomous District (Appointment and Succession of Syiem, Deputy Syiem, Electors and Rangbah Shnong of Myllem Syiemship) Act 2007

No. DSM/DULIR AI BYNTA/2023-24

Dated: Mawtawar, the: 25th MAY, 2024

KA DULIR AI BYNTA.

(GIFTED DEED)

Ha kane ka sngi ka 25th MAY 2024, Nga U/Ka Bioda Syruwa khun/Kurim jong BAH R. RYNDAH ba shong basah ha MAWTAWAR-LAITLUM chapteng ka met kaba koit ba khiah bad ba tip briew bha, nga la ai bynta noh shi lyngkhot ka jaka jongnga kaba don hangne ha Mawtawar, Kyntoit MAWONGONG ha phi U/Ka WANRIHUN SYRUWA khun jong U/Ka Bioda Syruwa ba shong basah mynta ha MAWTAWAR-LAITLUM

Ki pud sawdong bad jingthew jong kane ka jaka kaba nga la ai bynta ha phi ki long kumne harum:

Mihngi : 17 FT : SAKA S. KHARKULLIANG & KALA 1 ft.

Sepngi : 31 FT : SEUROK SHNONG 12 ft.

Shatei : 71 FT : SAKA B. SHANPRU.

Shathie : 72 FT : SAKA ILARISA SYRUWA.

Ka jingheh (area) jong kane ka jaka ka long 1716. Sq-ft tam ne duna.

Kitei ki pud sawdong ba la pyni haneng, ki pynshisha ia kane ka jaka ba ka la dei hok ka jong phi U/Ka WANRIHUN SYRUWA (Trai Jaka) pateng la pateng.

Kane ka jaka ka long ruh kaba lait na kano kano ka jingpynwit, kumta ma phi ka nongioh bynta U/Ka WANRIHUN SYRUWA phi lah ban pyndonkam ia ka katkum ka jingdonkam jong phi.

laka dulir barim la aiti lang ha phi ka Nongioh bynta tarik 13.12.2023.

Nga ka nongioh bynta (WANRIHUN SYRUWA) nga kular ban kohnguh ia ka jingpyniaid jong ka Shnong halor ka jaka jong nga. Nga pynshisha ia kane da kaba nga soi ia la ka kyrteng jong nga ha khmat jong U Rangbah Shnong bad ki sakhi satar.

B. Sengma

Nongai bynta

W. Ty

Nongioh bynta

Sakhi : 1. MR. T. S. DAWAR E/M. ESPRUE
2. MR. BERDO. K. PRAN E/M. B.P.

Ki Nongpynskhem:

K. S. Nongdhar

(K. S. Nongdhar)

Secretary

Shnong Mawtawar

C. Kharkongo

(C. Kharkongo)
Rangbah Shnong

Mawtawar

Myllem Syiemship

Office of
THE DURBAR SHNONG MAWTAWAR
Mylliem Syiemship
East Khasi Hills District, Shillong - 793022

KA KOT IA DIE IA THIED KHYNDEW

No. **1212/2023**

(SALES DEED)

Dated : Mawtawar **13.12.2023**

Ma nga U/Ka **BARI BRENSON SHANDRU** khun / kurim
jong U/Ka **ROMIDA SHANDRU** ba shong ba sah ha **WAH INGDIT** hapdeng
ka met kaba koit ba khiah bad tip briew bha, nga la die duh noh ia ka shi lyngkhot / ka
jaka jong nga ~~bad ka iing~~ kaba don hangne ha Mawtawar, Kyntoit **MAWDNGONG** ha
phj U/Ka **BIODA JYRWA** khun / kurim jong
U/Ka **BAH R. RYNJAH** ba shong ba sah ha **MAWTAWAR LAITUM**

Ki pud sawdong bad jingthew jong kane ka jaka ki long kumne harum:

Mihngi : **52 Ft** : La ker da ka **Jaka Bah S. Khaw Kylliong**

Sepngi : **94 Ft** : La ker da ka **Surok Shnong Jingia 12 Ft**

Shatei : **71 Ft** : La ker da ka **Jaka Tora Nongdie**

Shathie : **81 Ft** : La ker da ka **Jaka Bah J.C. Dienggan.**

Ka Jingheh (area) kane ka jaka ka long **5548** (**San hajar**

Sanspah Sawpnew Phra) sq.ft tam ne duna.

Kitei ki pud sawdong ki pynshisha ia kane ka jaka nga la die duh ha phi. Kane ka long
ruh kaba lait na ka bynda/ ram ne kano kano ka jingpynwit.

Naduh kane ka sngi **13.12.2023** phi U/Ka **BIODA JYRWA**
ba thied ia kane ka jaka, phi la long U/Ka Trai hok halor jong ka. Ma nga bad ki nongioh pateng
jong nga ngim don hok shuh ban dawa ei ei halor kane ka jaka ba nga la die ha phi.

Ia kane ka jaka nga la die ha ka dor Rs. **400.00** (**Saw Spal**)
() tyngka shi Sq.ft / lump sum. Ia ka pisa baroh
ba nga die ia kane ka jaka nga la ioh dep lut mynta ka sngi **13.12.2023**

Lada don kano kano ka jingujor halor ka jinglongtraia jong phi ia katei ka jaka, nga U/Ka
BARI BRENSON SHANDRU (Nongdie), nga shim ia ka
jingkitkhlieh ba pura la ha kano kano ka bynta da kaba ngan soi ha khmat jong phi ka Shnong
bad ki sakhi satar.

Nga U/Ka Nongthied nga kular ban kohnguh ia ka jingpyniaid jong ka shnong halor ka
jaka jong nga.

B. Shandru (Nongdie) **B. Syiem** (Nongthied)
*Baroh ka area na kane ka dulio la depai
bynta ha ki lai ngut kahun
ha ka 25/05/2024*

Sakhi: 1. **Biriyona Shandru**
2. **Bar ihentlin Shandru**

Ki Nongpynskhem:

Asstt. Secretary
Dorbar Shnong
Mawtawar

(K. S. Nongdhar)
Secretary
Shnong Mawtawar
Mylliem Syiemship

Rangbah Shnong
Mawtawar
Mylliem Syiemship

Meghalaya Power Distribution Corporation Limited
ELECTRICITY BILL

Duplicate 1

Account Details
Sub-Division UMJARAIN SUBDIVISION
Consumer id 1000771230
MR Code 1232001
Consumer Name Bela Kharkongor
Address Laitlum Mawtawar, Shillong.
#73911
Category DLT
C Demand/Load 2KW
Meter No RSD2506573
OMF(Cons) 1
Total Tariff Diff 823.23


Billing Details
Prev. Reading Date 17/12/2024
Curr. Reading Date 15/01/2025
No. of Days 29
Bill Number 1232001251150578
Bill Status OK(Normal)
Prev KWH 4193.0
Current KWH 4380.0
Billed Unit 187.0
Recorded MD 0
Power Factor 0
Average

Bill Charges
Fixed Charges (Unit, Rate, Amount) 168.39
2.0 KW 90.0
Energy Charges (Unit, Rate, Amount) 519.19
93.55 5.55 528.00
93.45 5.65
ED Amount (Unit, Rate, Amount) 9.35
187.0 0.05 -22.76
FPPAS 15.40
DPC 17.57
Current Bill Amt -0.47
Consumer Credit 0.00
Adjustment 91.47
Tariff Diff(1/9 Inst.) 1308.57
Gross Bill Amount

Net Bill Amount ₹ 1309.00
Due Date 21/01/2025
Last Payment Date 23/12/2024
Last Payment Amount 1563

15/01/2025 10:47 V3.8

This bill will be construed as final notice under Section 9.2 of MSERC (Electricity Supply Code) Regulations, 2018. Supply of electricity shall be discontinued at any date, if dues of Electricity bill is not paid within 15 (fifteen) days (notice period) after due date of the bill. Thanks for paying. We really appreciate it!



For Bill Payments, Please visit www.meghainpower.com OR Download Megha Power App from Google Playstore

The current bill includes the new tariff difference amount as per the MSERC-approved Distribution Tariff for 2024-25, to be collected in nine equal installments. For any queries, please contact the AEFs of the respective sub-divisions.