



Bengaluru Electricity Supply Company Limited
(Wholly Owned Government of Karnataka Undertaking)

BESCOM GSTN No: 29AACCB1412G1Z5

AEE/HAROHALLY/ (AET)

Office of the
Assistant Executive Engineer Ele.,
C,O&M, HAROHALLY Sub Division
BESCOM , HAROHALLY

To
M/S FUTHURAA
POLT NO 348 & SY NO 741, 742 523 & 777

Sir/Madam

Sub : Arranging power supply to an extent of **0.00 KVA 150 HP** in favor of M/S FUTHURAA POLT NO 348 & SY NO 741, 742 523 & 777 in HAROHALLY OMU, HAROHALLY

Ref : 1) Your application registration **1333111250011** dated **05-NOV-2025**

2) AEE/HAROHALLY /AE(T) a/ **07-JAN-2026**

With reference to your application dated **05-NOV-2025** . Requesting for arranging power supply to an extent of **0.00 KVA 150 HP** power installations in favor of M/S FUTHURAA POLT NO 348 & SY NO 741, 742 523 & 777 in HAROHALLY OMU, HAROHALLY Sub division in hereby sanctioned subject to the following Conditions.

a. You are requested to pay the following charges by DD/cash (above 10000/- only DD will be Accepted) payable at the Office of C, O&M HAROHALLY sub-division and furnish the payment certificate for taking further action in this matter.

Application No	Sub Application No	Tariff	Requested Load	Account Head	Amount(Rs.)
1333111250011	13331112500110001	LT5-Rural-INDUSTRIAL POWER - LT5A-RLB	0.00 KVA/150.00HP	61.9047-5% Supervisory Charges (61.904)	63075
1333111250011	13331112500110001	LT5-Rural-INDUSTRIAL POWER - LT5A-RLB	0.00 KVA/150.00HP	61.9067-61.9067- TRANSFORMER TESTING FEE	1000
1333111250011	13331112500110001	LT5-Rural-INDUSTRIAL POWER - LT5A-RLB	0.00 KVA/150.00HP	61.9067-LT METERING CUBICAL TESTING CHARGES	4080
1333111250011	13331112500110001	LT5-Rural-INDUSTRIAL POWER - LT5A-RLB	0.00 KVA/150.00HP	48.1017-48.1017 - ISD	91450
Total Amount in Rupees					159605

b. The power supply will be arranged at 400V .

c. The Tariff applicable to your installation will be LT5-Rural, or the Tariff in force From time to time.

d. You have to enter into an agreement with the BESCOM in the prescribed form.

e. Submit the Contractor's Completion-Cum-Test Report along with diagram in Duplicate.

f. You shall install LT metering panel approved by the BESCOM with suitable Capacity MCCB and/or ELCB.

g. Energy meter should be placed outside the premises at the height of 5ft from the ground level.

h. Amount through DD should be paid in the name AEE BESCOM HAROHALLY .

i. Intimation is valid up to 30 days from the date of issue.

In case the above requirements are not fulfilled within one month from the date of this communication, the sanction of power and registration will stand CANCELLED. The registration fee paid will be FOREFEITED. You are requested to contact the Asst. Ex. Engineer Ele., HAROHALLY Sub division, BESCOM for information and further needful.

Your's Faithfully,

Assistant Engineer (Technical),

Your's Faithfully,

Assistant Executive Engineer Ele.,

Copy to:

- 1.The Executive Engineer Ele. C, O&M KANAKAPUR Division, BESCOM.
- 2.The Asst. Executive Engineer Ele., C,O&M HAROHALLY Sub division, BESCOM.